

CHILDREN'S HEALTHY LIVING PROGRAM



For Remote Underserved Minority
Populations In The Pacific Region



United States Department of Agriculture
National Institute of Food and Agriculture
Agriculture and Food Research Initiative (AFRI)
No. 2011-89001-90336







Children's Healthy Living Program For Remote Underserved Minority Populations in the Pacific Region

Pohnpei Prevalence Survey Results



United States Department of Agriculture
National Institute of Food and Agriculture
Agriculture and Food Research Initiative (AFRI)
No. 2011-68001-30335



Table of Contents

I. EXECUTIVE SUMMARY	6
II. CHILDREN’S HEALTHY LIVING PROGRAM (CHL)	10
III. THE CHL TRAINING PROGRAM	14
TRAINING PROGRAM OBJECTIVES	14
TRAINING PROGRAM PARTNERSHIPS	14
LONG-TERM PLANS.....	18
IV. RESEARCH ACTIVITIES.....	22
CHL RESEARCH AIMS AND DESIGN	22
PREVALENCE SURVEY	22
STUDY DESIGN.....	22
V. POHNPEI COMMUNITY REPORT	28
SECTION 1. CHILD DEMOGRAPHICS	32
<i>Sex</i>	32
<i>Age</i>	32
<i>Racial and Ethnic Heritage</i>	33
<i>Child’s Birth Place</i>	34
<i>Language Child Speaks</i>	34
SECTION 2. CHILD ANTHROPOMETRIC MEASUREMENT RESULTS.....	38
<i>Body Mass Index</i>	38
<i>Prevalence of Overweight and Obesity of Study Children in Pohnpei</i>	38

<i>Abdominal Obesity</i>	39
<i>Acanthosis Nigricans (AN)</i>	39
SECTION 3. CHILD NUTRITION AND DIET REPORTS	42
<i>Fruit and Vegetable Intake</i>	42
<i>Water</i>	43
<i>Sugar-Sweetened Beverages (SSB)</i>	44
SECTION 4. PHYSICAL ACTIVITY FROM ACCELEROMETERS.....	50
SECTION 5. SCREEN TIME.....	54
SECTION 6. SLEEP.....	60
SECTION 7. MEDICAL.....	68
<i>Dental</i>	68
SECTION 8. EARLY LIFE AND FEEDING OF CHILD	72
<i>Birth Weight</i>	72
<i>Early Feeding Pattern</i>	72
SECTION 9. HOUSEHOLD DEMOGRAPHICS AND MEASURES.....	76
<i>Relationship</i>	76
<i>Marital Status</i>	76
<i>Household Size and Multi-generation Households</i>	77
<i>Education</i>	77
<i>Employment Status of the Caregiver Participants</i>	77
<i>Household Income Level</i>	78
<i>Religion</i>	79

<i>Food Security / Resource Availability</i>	<i>79</i>
<i>Water Source</i>	<i>80</i>
<i>Culture.....</i>	<i>81</i>
<i>Betel Nut, Tobacco and Alcohol.....</i>	<i>83</i>
<i>Tobacco.....</i>	<i>85</i>
VI. COMMUNITY ASSESSMENT RESULTS.....	90
<i>Section 1. Food Resources and Physical Activity Environment</i>	<i>90</i>
<i>Section 2. Assessment of Parks</i>	<i>91</i>
<i>Section 3. Assessment of Schools.....</i>	<i>102</i>
<i>Section 4. Assessment of Churches</i>	<i>109</i>
<i>Section 5. Assessment of Physical Activity Facilities.....</i>	<i>116</i>
<i>Section 6. Assessment of Fast Food Outlets.....</i>	<i>125</i>
<i>Section 7. Food Availability and Marketing Form.....</i>	<i>139</i>
<i>Section 8. Walkability Survey.....</i>	<i>152</i>
<i>FOOD COST SURVEY (FCS).....</i>	<i>153</i>
VII. CONCLUSION / SUMMARY OF PREVALENCE STUDY.....	160
REFERENCES / SOURCES OF INSTRUMENTS	161



Executive Summary



I. Executive Summary


Introduction to the Report

The CHL program utilizes three major strategies towards its goals: 1) training, 2) extension – outreach, and 3) research - intervention. The purpose of this document is to report on the measures of these three strategies in your community. It includes information about CHL training, outreach and sustainability activities, and the research descriptive results of the Children’s Healthy Living Program Survey at the individual and household level and the results of the community level assessment. The community level assessment utilizes the Community Assessment Toolkit (CAT) -- which is comprised of assessments about the availability of food resources, parks, play spaces, and walkable streets – and a Food Cost Survey.

If you have any questions about this report, please contact *Jonathan Deenik* at jdeenik@hawaii.edu or 808-956-6906.

Thank you for your interest and efforts for children’s health!

Children's Healthy Living Program



II. Children's Healthy Living Program (CHL)

The Children's Healthy Living Program for Remote Underserved Minority Populations in the Pacific Region (CHL) is a partnership among the remote Pacific jurisdictions of Alaska; American Samoa; Commonwealth of the Northern Mariana Islands (CNMI); the Federated States of Micronesia (FSM), the Republic of the Marshall Islands (RMI), the Republic of Palau; Guam; and Hawaii to study childhood obesity among Pacific children, ages two to eight years old.

The program is funded by the United States Department of Agriculture (USDA), National Institute of Food and Agriculture, Agriculture and Food Research Initiative (Grant no. 2011-68001-30335). CHL is coordinated from the Department of Human Nutrition, Food and Animal Sciences in the College of Tropical Agriculture, at the University of Hawaii at Mānoa with contracts to the University of Guam, University of Alaska Fairbanks, American Samoa Community College, Northern Marianas College, and fees for nutrition analysis services conducted at the University of Hawaii Cancer Center.

The goal of CHL is to help to create a social, cultural, political, economic, and physical environment in the Pacific Region that supports active play, physical activity, and eating healthy food, in order to promote health. In partnership with participating communities, our mission is to elevate the capacity of the region to build and sustain a healthy food and physical environment to help maintain healthy weight and prevent obesity among young children in the Pacific region.


CHL strived for the following behavior targets:

- 1) Lower prevalence of excess weight and waist circumference for height
- 2) Increased sleep
- 3) Reduced consumption of sugar-sweetened beverages (SSB)
- 4) Higher fruit and vegetable intake
- 5) Higher water intake

- 6) Reduced TV/video viewing
- 7) Increased physical activity
- 8) Lower prevalence of acanthosis nigricans (AN)

Figure 1 illustrates CHL's model to influence multiple aspects of the environment to promote healthy food intake and physical activity in young children ages two to eight years old (Braun et al., 2014).

Figure 1. CHL Conceptual Model



The CHL Training Program



III. The CHL Training Program

Training Program Objectives


The development of the CHL Training Program (CHL-TP) was an essential component of CHL's multilevel approach to prevent childhood obesity. Approximately one third of the program's resources were invested in training. The CHL-TP's first objective was to train 22 United States Affiliated Pacific Region students in child obesity prevention through selected academic degree programs. A second objective was to enhance the students' academic education with training on childhood obesity prevention strategies and tools, through the offering of culturally appropriate and regionally relevant obesity prevention-related courses and programs.

Training Program Partnerships

The CHL-TP was a collaborative effort with institutions across the Pacific. Students selected for the program have attended courses at the University of Hawai'i at Mānoa, the University of Guam, Guam Community College, Kapi'olani Community College, and the University of Alaska at Fairbanks and Anchorage (Figure 2).

Partner jurisdictions created selection committees who screened and interviewed student applicants and identified the top candidates for the scholarship awards. Two students from each of Alaska, American Samoa, CNMI, Chuuk (FSM), Guam, Hawai'i, Kosrae (FSM), Pohnpei (FSM), the Republic of the Marshall Islands, the Republic of Palau, and Yap (FSM) were selected for a scholarship to enroll in a degree program at one of the partner institutions.

Figure 2. Institutions, Academic Program Areas and Degrees in the Children’s Healthy Living (CHL) Training Program



From: Fialkowski MK, et al. Indigenous Workforce Training by the Children’s Healthy Living Program (CHL) to Prevent Childhood Obesity in the Underserved US Affiliated Pacific Region. J Health Care Poor Underserved. 2015; 26(2 Supplement): 83-95.

An opportunity for all the CHL trainees to engage in distance learning together while strengthening their bond as a cohort and their ties to CHL and the region. The CHL-TP also partnered with the University of Hawai'i at Mānoa Public Health Program to allow CHL Trainees to take an indigenous health seminar as a part of their CHL seminar experience.

In addition to the CHL-TP seminar curriculum, CHL modified a course from the Food Science and Nutrition (FSHN) program, The Science of Human Nutrition (FSHN 185), offered both through the University of Hawai'i at Mānoa and the University of Hawai'i Outreach College. FSHN 185 utilized an online platform, which allowed for flexible and adaptive nutrition education delivery across the vast region of the Pacific and beyond. The modifications broadened the curriculum to reflect the unique environment and cultural diversity of the Pacific region. New modifications incorporate nutrition education with aspects of commonly consumed food and their significance in societal structure. To further support this Pacific adapted introductory nutrition course, a Pacific Food Guide was developed to help students enrolled in FSHN 185, to better connect the traditional foods of the Pacific with concepts of nutrition (Fialkowski et al, 2016).

Other curriculum and educational materials developed by the CHL-TP included a comprehensive workshop to provide standardized measurement training to staff and field workers conducting measurements in anthropometry, dietary intake, physical activity, and acanthosis nigricans. The measurement training workshops conducted by CHL were successful in standardizing over 100 measurers in 5 years across the Pacific region from Alaska to Micronesia. Workshop materials will continue to be utilized for standardization of educators and staff conducting regional measurements such as Head Start, Maternal Child Health, School Health, and Non-communicable disease staff and community workers and is part of future curriculum being planned.

Students accepted into the CHL-TP conducted a CHL project in their home jurisdictions that supported childhood obesity prevention. Students at the graduate level blended these projects with their final theses and dissertations. All trainees presented their projects and budgets to a selected project committee for approval prior to implementation. Upon completion of their project all students submitted a formal report and conducted an oral presentation. Examples of projects completed by graduates of the CHL-TP are outlined in Table 1.

Twenty-four students participated in the CHL-TP. Two Trainees dropped out of the program after their first year, due to personal reasons. The two vacant scholarship positions were offered to two other qualified Trainees from those respective jurisdictions. Two Trainees were released from the program due to poor performance. To date, 6 students (5 graduate and 2 undergraduate) have completed the CHL-TP and attained their degrees (Table 1). One graduate-level Trainee from Alaska is expected to complete a MS in the Summer of 2016 and another graduate-level Trainee from Alaska is expected to complete a MPH in the Fall of 2016. One graduate-level Trainee from CNMI is expected to complete her MPH degree while one graduate level Trainee from American Samoa is expected to complete a PhD in Epidemiology in the Spring of 2017. Two undergraduate Trainees from Chuuk, and the Marshall Islands are expected to graduate in Fall 2016 with Bachelor's degrees in Public Health. One undergraduate Trainee from Kosrae is expected to complete a degree in Nutrition in Spring 2017. Four undergraduate Trainees from Pohnpei, Chuuk, Kosrae, and the Marshall Islands are expected to graduate in Fall 2017 with Bachelor's degrees in Health Science (3) and an Associate degree in Early Childhood Education (1), respectively.

Table 1. CHL Training Program Graduates by Jurisdiction, Degree Type, and Project Description

Student Name	Jurisdiction	Degree Name/Type	Project Description
Tanisha Aflague	Guam	PhD, Nutrition	To examine the willingness to try fruit and vegetables (F&V) and F&V intake among children, 3-12yrs, attending a cultural immersion camp compared to children from a camp without cultural immersion
Monica Esquivel	Hawaii	PhD, Nutrition	To build evidence on the effectiveness of Child Care Center wellness policies that promote intake of nutrient-dense food, healthy eating habits and nutrition education to improve child diet intake and prevent childhood obesity in Hawaii
Lenora Matanane	Guam	MS, Nutrition	To test whether access and availability to fruits and vegetables in food stores is associated with childhood overweight/obesity prevalence in selected Guam communities
Ashley Morisako	Hawaii	MPH, Native Hawaiian and Indigenous health	To outline the community engagement process instilled to effectively implement and evaluate a garden-based learning curriculum targeted for preschoolers in Hawaii in order to reduce and prevent childhood obesity
Ron Standlee-Strom	Alaska	MS, Natural Resource Management	To determine factors mediating the delivery of effective nutrition education as perceived by educators and Alaskan program participants
Trisha Johnson	Pohnpei	BS, Food Science and Human Nutrition	To determine traditional fruits and vegetables consumed by young children in Pohnpei, Federated States of Micronesia

PhD = Doctor of Philosophy; MS = Master of Science; MPH = Masters of Public Health; BS = Bachelor of Science

Long-term Plans

The CHL program provided guidance in identifying other funding to Trainees who did not complete their degree programs within the life of the CHL grant. The CHL-TP also continues to serve as a source of professional collaboration and career networking for

the Trainees. The CHL-TP plans to do long-term follow-up of the Trainees to gather information on the career trajectory of graduates.

Curriculum developed by the CHL-TP will continue to be adapted for offering through multiple venues. The Pacific adapted online FSHN 185 has been included as one of the options offered to students at the University of Hawai'i at Mānoa in the Fall, Spring, and Summer semesters. This class has also been designated as meeting the Hawaiian, Asian, and Pacific Issues General Education Focus area for the University of Hawai'i system, including the University of Hawai'i Outreach College. The nutrition education resource, the Pacific Food Guide, has also been developed into a web resource available for free at www.manoa.hawaii.edu/ctahr/pacificfoodguide

The series of seminars developed for the CHL Trainees on the causes of childhood obesity and evidenced-based strategies for childhood obesity prevention are currently being adapted into a comprehensive distance-learning platform for offering through a CHL Summer Institute. The online platform of the CHL Summer Institute will allow for a wider audience to benefit from its unique and important content. The CHL Summer Institute will offer various courses and modules for credit and non-credit through the University of Hawai'i Outreach College. The University of Hawai'i Outreach College allows for non-University of Hawai'i students to access this unique training opportunity at in-state tuition rates. For further information on the CHL Training Program please see the following resources:

- Fialkowski MK, et al. Indigenous Workforce Training by the Children's Healthy Living Program (CHL) to Prevent Childhood Obesity in the Underserved US Affiliated Pacific Region. *J Health Care Poor Underserved*. 2015; 26(2 Supplement): 83-95.
- CHL Training Program available at:
<http://www.chl-pacific.org/trainingeducation/program-overview>

CHL Research Activities



IV. Research Activities

CHL Research Aims and Design

CHL measured two to eight year-old children to identify young child overweight and obesity, acanthosis nigricans, and health behavior information about sleep, physical activity, screen time, eating of fruits and vegetables, and consumption of sugar-sweetened beverages and water.

Prevalence Survey

Study Design

The cross-sectional CHL study design involved data collection on body size, functional outcomes of obesity (acanthosis nigricans), food intake, physical activity, lifestyle behavior which included screen time, and demographics (baseline or prevalence). These were measured through anthropometry (height, weight, and waist circumference), Food and Activity Logs, questionnaires, accelerometry, and visual inspection (of the neck).

Data were collected in October 2013 in Pohnpei.

CHL research included data from the Federated States of Micronesia (Yap, Chuuk, Kosrae, and Pohnpei), the Republic of the Marshall Islands, and the Republic of Kosrae; referred to collectively in CHL as the Freely Associated States (FAS), and all other CHL jurisdictions -- Alaska, American Samoa, CNMI, Guam, and Hawaii.

The goal of the CHL Pohnpei prevalence survey was to obtain health measures and health behaviors in children between the ages of 2-8, with a focus of those between the ages of 4-6 years old. Communities where data was collected were: Nett, Wenik, Sekere, and Mand.

The recruitment team organized a parent/teacher meeting to discuss this study and schedule for this study at each study site. Teachers and school staff encouraged participation and retention. Two recruitment staff assisted the CHL team by reporting

numbers of possible participants and distributed CHL Flyers in the local language in communities. A total of 60 possible participants were recruited per recruitment site.

The measurement team consisted of a lead measurer and at least 3 staff trained and standardized in measurement collection. The lead calibration team from the CHL Coordinating Center (i.e., Program Director and Assistant Program Director) conducted measurement training and standardization for Pohnpei staff in February, April and in August 2013 in order to enable standardization of local staff prior to the start of measurement. Measurement teams were standardized by the CHL Coordinating Center (CCC) Calibration Team. A standardization/ quality assurance protocol developed by the Data Center as followed and the data as kept for reporting reliability and for quality assurance. Six Pohnpeian individuals were standardized; five for height, weight and waist circumference (Rally Jim, Delphina Abraham, Adeliher Ioanis, Weifone Billen) and one for height and weight (Emihner Johnson) In addition to the measurements, data on the listed forms below were collected.

1. Parent Consent Form and the Screening form
2. Form Package, which included the following participant forms/questionnaires:
 - a. Participant Measurement Checklist
 - b. Registration Form
 - c. Demographics Questionnaire
 - d. Culture Questionnaire
 - e. Sedentary Behavior Questionnaire
 - f. Sleep Questionnaire
 - g. Food & Activity Log. All participants (parents/caregivers) were instructed to complete 2 assigned days of Food & Activity Logs.
3. A referral letter was given to parents/caregivers when the child had a positive Acanthosis Nigricans screening result.

A total of 212 children were consented to participate in the survey. The Pohnpei prevalence survey was part of a larger program and the number of children consented in the U.S. Affiliated Pacific are found in Table 1.

NOTE: The following numbers are based on those who consented, rather than those who completed the measures. **

Table 1: Number of Participants Consented in each Jurisdiction for CHL Research

Number of Participants Consented in each Jurisdiction for CHL Research	
Jurisdiction Communities	Number Consented
Alaska <i>Anchorage, Fairbanks, Kenai, Mat-Su Valley</i>	713
American Samoa <i>Fagaitua/Pagai/Amaua/Auto/Utusia, Leloaloe/Aua, Onenoa/Pohnpei/Alao, Pohnpei/Aasu</i>	978
CNMI <i>Koblerville/San Antonio, Oleai, Kagman, San Roque, Saipan</i>	924
Guam <i>Yigo, Yona, Agat, Sinajana</i>	885
Hawaii <i>Nanakuli, Waimanalo, Hilo, Wailuku, Kauai, Molokai</i>	988
CHL Intervention Study Data (total)	4,488


Freely Associated States	
Jurisdiction Communities	Number Consented
Pohnpei <i>Nett, Mand, Sekere, Wenik</i>	212
Republic of the Marshall Islands <i>Majuro, Ebeye (Kwajalein atoll), Ailinglaplap</i>	218
Palau <i>Koror, Ngaraard, Melekeok, Airai</i>	214
Yap <i>Rull, Tomil, Weloy, Ulithi</i>	205
Kosrae <i>Tafunsak, Lelu, Sansrik, Malem, Utwe/Walung</i>	207
Chuuk <i>Weno (Sapuk, Iras), Tol, Tonoas, Uman</i>	231
FAS Prevalence Data (total)	1,287
CHL Total (CHL Intervention + FAS Prevalence)	5,775

Community Report



V. Pohnpei Community Report

The total number of responses for each question may not match the total number of consented participants. Parents identified their children as eligible (including age eligible) and consented, upon which children participated in the study. In data analysis, upon calculation of age by study metrics, some children were outside the defined age range and were excluded from the analysis. In addition, not all who consented to participate in the study completed all parts or all items of all the questionnaires, so the results for each item reflect only those who answered that question or whose data were available at the time of this report. Potential outliers with extreme values (defined as those with a value of 3 standard deviations (SD) above or below the mean) were also excluded from this report. The total percentage may not add up to 100 because of rounding.



Child Demographics



Section 1. Child Demographics

A total of 200 children participated from Pohnpei. Parents / caregivers answered multiple questions about their child participating in the CHL research program. The following section reports some of that information collected, including child's sex, age, race and ethnicity.

Sex: 188 out of 200 children participated had data on sex.

Table S.1.1. Number and Percent of Participants by Sex

Sex	Number	Percent
Boys	92	48.9%
Girls	96	51.1%
Total	188	100%

Age: Child's age was calculated between age in years elapsed between child's date of birth and the date when anthropometry was measured. The distribution of age of the children is shown below.

Table S.1.2. Number and Percent of Participants by Age

Age in Years	Number	Percent
Age 2	10	5.0%
Age 3	13	6.5%
Age 4	33	16.5%
Age 5	118	59.0%
Age 6	15	7.5%
Age 7	8	4.0%
Age 8	3	1.5%
Total	200	100%

Table S.1.3. Number and Percent of Participants by Age Group

Age in Years	Number	Percent
2-5 years old	174	87.0%
6-8 years old	26	13.0%
Total	200	100%

Racial and Ethnic Heritage

The data collection questions used in this section and for the household demographics came from various sources. Some items were generated by CHL staff; some came from The Center for Alaska Native Health Research Demographic and Medical Screening Questionnaire, the Behavioral Risk Factor Surveillance System 2011 survey, and the 2011 Middle School Youth Risk Behavior Survey.

Table S.1.4. The Distribution of Race of the Children Using the U.S. Office of Management and Budget (OMB) Definition

Race of child of OMB definition	Number	Percent
Native Hawaiian or other Pacific Islander	179	89.5%
More than one race	21	10.5%
Total	200	100%

Table S.1.5. The Distribution of Race/Ethnicity of the Children Using the CHL Pacific Definition Which Prioritize the Indigenous Ethnic Groups in the Jurisdiction (CHL Pacific)

Race of child of Pacific definition	Number	Percent
Pohnpeian	167	83.5%
Mixed Pohnpeian	20	10.0%
Mixed Native Hawaiian Pacific Islander and Pohnpeian	7	3.5%
Chuukese	4	2.0%
Mixed Kosraean	1	0.5%

Race of child of Pacific definition	Number	Percent
Other Native Hawaiian Pacific Islander	1	0.5%
Total	200	100%

Child's Birth Place

Parents or caregivers responded to the question: "In what city or country was your child born?"

Table S.1.6. Child's Place of Birth

Birth Place	Number	Percent
Pohnpei	184	92.0%
Hawaii	4	2.0%
Chuuk	3	1.5%
Guam	3	1.5%
Other (Including USA, Florida, Georgia, Micronesia, and Wisconsin)	6	3.0%
Total	200	100%

Parents responded to the question about residence: "How many years has your child lived here?"

Among the 200 children, 168 had information on this question. Among them, 144 (85.7%) lived their whole life in Pohnpei and the rest 14.3%, spent 13 to 80 percent of their life here.

Language Child Speaks

The language distribution of the children in the survey is listed in the following table.

Note: Language responses may total over 200 and 100% because some respondents could speak more than one language.

Table S.1.7. Top Languages Child Speaks

Top languages child speaks	Number	Percent
Pohnpeian	133	66.5%
Mortlockese	23	11.5%
Pingelapese	22	11.0%
Mortlockese and Pohnpeian	8	4.0%
Other*	14	7.0%
Total	200	100%
<i>Includes English and Pingelapese, Pingelapese and Pohnpeian, Chuukese, Chuukese and Mortlockese, English and Chuukese, Pohnpeian, Mortlockese, Pingelapese, and Yapese, Kosraean and Pohnpeian, Mokilese and Mortlockese and Pohnpeian, and Mortlockese and Pohnpeian</i>		

Pohnpeian was the top language spoken at home (68.5%). Other languages children in Pohnpei speak at home included Mortlockese, Pingelapese, Chuukese, Kosraean, Marshallese, Yapese, and English. Eighty-seven percent of the children spoke one language other than English at home. Eight percent of the children spoke two or more languages other than English. **Four percent of the children spoke English and at least one other language.**



Child Anthropometric Measurement Results




Section 2. Child Anthropometric Measurement Results

Body Mass Index

Among the 200 children who participated in Pohnpei, 178 had valid measurements of Body Mass Index (BMI).

Overweight was defined as the 85th - 94th percentile for BMI (weight, kg/height, m²) and obesity was defined as greater than or equal to the 95th percentile for BMI (Centers for Disease Control and Prevention, 2009).

Prevalence of Overweight and Obesity of Study Children in Pohnpei



A total of 178 children were included for this analysis. Among them, 78.1% were healthy weight, 17.4% were overweight, 4.5% were obese, and none were underweight. No difference was found between boys and girls, or between children ages 2-5 and those 6-8 years old.

Abdominal Obesity

The International Diabetes Federation (IDF) suggests that children 6 years or older with a waist circumference equal or greater than the 90th percentile be considered as having abdominal obesity (Zimmet, et al., 2007). For children younger than 6 years of age, currently there is insufficient information for such classification. Using children ages 6-8 years in the CHL data set as the reference data, the 90th percentile cutoff value is 71.47cm. The 90th percentile cutoff value reported from the IDF, which uses “a nationally representative sample” of boys and girls, is 67.65 cm for 7-year olds.

Among the 24 participants in **Pohnpei** between the ages 6-8 years, using either the CHL cutoff or IDF cutoff value, **none of children 6-8 year olds were considered as having abdominal obesity.**

Acanthosis Nigricans (AN)

Acanthosis nigricans is an indicator of high insulin levels, which can lead to insulin resistance and Type 2 diabetes. Acanthosis nigricans presents as a light brown, black velvety, rough, or a thickened lesion on the surface of the skin. These features are usually seen in body folds and creases, on the nape of the neck, armpits, and over the knuckles. This screening suggests a problem with handling the body’s insulin, and the possibility of having pre-diabetes or diabetes. CHL staff encouraged the parents/caregivers of these children to make an appointment for these children to see a doctor for further information and care.

Burke’s (1999) quantitative scale was utilized, with scores given for the severity of AN. Among the 200 children who participated, 194 had data on AN, of which 23 (11.9%) screened positive for AN.



*Child Nutrition
And Diet Reports*



Section 3. Child Nutrition and Diet Reports

Parents and caregivers completed logs of everything their children ate and drank for two assigned days. The design of the logs was based on previous research conducted by the principal investigator as well as other team members.

For Pohnpei, 183 Food and Activity Logs were reviewed by CHL staff and are included in this report.



The top five foods, beverages or condiments reported that children ate are shown in the table below.

Table S.3.1. Top 5 Foods, Beverages, or Condiments Most Commonly Reported

Food description	Pohnpei	
	Number of times reported	% of all foods reported
#1 White rice, not enriched	772	17.7%
#2 White rice, enriched	187	4.3%
#3 Saimin soup	167	3.8%
#4 Canned mackerel	117	2.7%
#5 Plain doughnuts	113	2.6%

Fruit and Vegetable Intake

The United States Department of Agriculture (USDA) daily recommended amounts of fruits and vegetables for children 2-8 years of age are shown in the table below.

United States Department of Agriculture's My Daily Food Plan		
Daily recommended amount of fruits and vegetables	 VEGETABLES	 FRUITS
2 years	1 cup	1 cup
3 years	1 ½ cup	1 cup – 1 ½ cup
4-5 years	1 ½ cup – 2 cups	1 cup – 1 ½ cup
6-8 years	1 ½ cup – 2 ½ cups	1 cup – 2 cups

Children should consume at least 1 cup of fruit and 1 cup of vegetables daily, with these recommendations (as shown in the table) increasing as children age. This aligns with the CHL behavioral intervention target or goal: to eat more fruits and vegetables daily.

In Pohnpei, children ate 1.0 serving of fruits and vegetables per day on average as recorded by parents/caregivers on the two-day food log. The average servings of fruit was 0.6 per day and the average servings of vegetables was 0.4 per day.

37 (20.6%) of children in Pohnpei met the U.S. national recommendations for daily fruit consumption.

6 (3.3%) of children in Pohnpei met the U.S. national recommendations for daily vegetable consumption.

Water

Children should consume at least 32 - 40 fluid ounces (4 - 5 cups) of water from all beverages (milk, juice, drinking water) daily. CHL behavioral intervention target or goals were to encourage children to drink more water.


93.4% of Parents/caregivers reported on the two-day Food and Activity Log that their child drank water daily.

On average, children in Pohnpei drank 2.3 cups of water daily.

Table S.3.3. Intake of Daily Drinking Water by Age Group and Sex

Drinking water intake (cups / day) by sex	Pohnpei	
	Number	Mean (SD)
Boys		
2 – 5 years	47	2.5
6 – 8 years	49	2.4
All	96	2.4
Girls		
2 – 5 years	35	2.3
6 – 8 years	52	2.2
All	87	2.2

Recorded intake of Daily Drinking Water (cups / day) by Sex and Age for all Children



Sugar-Sweetened Beverages (SSB)

CHL behavioral intervention targets or goals are to limit (or avoid) the consumption of sugar-sweetened beverages (SSB).

From the two-day food record, 100 (54.6%) of parents/caregivers in Pohnpei reported that their child consumed SSBs.

Children drank 0.5 cups of sugar-sweetened beverages on average daily.

For Pohnpei, the most frequently consumed SSB included milk 2%, canned orange-apricot drink, and raw coconut milk.

Children’s intake of Sugar-Sweetened Beverages (cups/day) for Pohnpei




Table S.3.4. Mean SSB Intake (cups/day) for all Children and Those with SSB's recorded for Pohnpei

Mean SSB intake (cups/day)	All children		SSB Recorded	
	Number	Mean (SD)	Number	Mean (SD)
Boys				
2 – 5 years	47	0.5	25	1.0
6 – 8 years	49	0.5	26	1.0
All	96	0.5	51	1.0
Girls				
2 – 5 years	35	0.4	20	0.7
6 – 8 years	52	0.6	29	1.0
All	87	0.5	49	0.9

Table S.3.5. Proportion of SSB Consumption Greater than 2 cups per day among all Children and Only Children with SSB Recorded for Pohnpei

Proportion of children with SSB consumption greater than 2 cups per day	All children, number (%)		SSB Recorded, number (%)	
	0-2 cups	greater than 2 cups	0-2 cups	greater than 2 cups
Boys				
2 – 5 years	45 (95.7%)	2 (4.3%)	23 (92.0%)	2 (8.0%)
6 – 8 years	48 (98.0%)	1 (2.0%)	25 (96.2%)	1 (3.9%)
All	93 (96.9%)	3 (3.1%)	48 (94.1%)	3 (5.9%)
Girls				
2 – 5 years	34 (97.1%)	1 (2.9%)	19 (95.0%)	1 (5.0%)
6 – 8 years	49 (94.2%)	3 (5.8%)	26 (89.7%)	3 (10.3%)
All	83 (95.4%)	4 (4.6%)	45 (91.8%)	4 (8.2%)



Physical Activity From Accelerometers



Section 4. Physical Activity from Accelerometers

To provide data on their physical activity levels, about 100 children in each community were fitted with Actical accelerometers on the first day of measurement. Accelerometers are objective tools for measuring physical activity. Children were instructed to wear the accelerometers for 6 days without removal. Accelerometers were set to record children's movements at each second. Recorded movements are known as counts. The accelerometer counts were summed to derive the number of counts per minute (CPM). These CPMs were then used to derive activity levels based on the following criteria:

- Sedentary, if $CPM \leq 40$
- Light, if $41 \leq CPM \leq 2295$
- Moderate, if $2296 \leq CPM \leq 6815$
- Vigorous, if $CPM \geq 6816$

Sedentary (physical inactivity) behaviors includes excessive sitting, lying, as well as screen time. In this study, time spent on sleeping was not excluded from the sedentary results and was also considered as sedentary. **Light** activities include things such as walking at a slow pace or cleaning. **Moderate** types of activities include brisk walking, dancing and some active play, while **vigorous** activities include running, fast cycling and fast swimming.

Potential outliers with extreme values (defined as those with a value of 3 standard deviations (SD) above or below the mean) were excluded from this report. In **Pohnpei**, Actical accelerometers from 90 children provided valid data on their physical activity levels. After excluding outliers, on average children spent 10.6 hours in sedentary activities (SD=1.5 hours).

On average, children in Pohnpei spent 12 hours and 4 minutes (SD=1.4) on light activities. On average, children in Pohnpei engaged in 1.3 hours on moderate activities (SD=0.6). On average, children in Pohnpei spent 11 minutes (SD=0.3) on vigorous

activities. On average, children spent 1.5 hours (SD=0.9) on moderate or vigorous activities.

Of the 84 children with accelerometer data, 62 (73.8%) of children in Pohnpei met the U.S. national recommendations for achieving at least 60 minutes of moderate or vigorous activity daily, which is also a CHL behavioral intervention target or goal.

This information can be found in the following table.

Table S.4.1. Hours of Physical Activity by Type

Physical activity from accelerometer	Mean hour (SD)	
Sedentary activities (weighted) per day	10.6 (SD=1.5)	
Light activities (weighted) per day	12.1 (SD=1.4)	
Moderate activities (weighted) per day	1.3 (SD=0.6)	
Vigorous activities (weighted) per day	0.2 (SD=0.3)	
Moderate and vigorous activities (weighted) per day	1.5 (SD=0.9)	
	Number	%
Met national recommendation of >=60 minutes of moderate or vigorous physical activity daily	62	73.8%



Screen Time



Section 5. Screen Time

The following set of questions was adapted from Buckworth, J., & Nigg, C. (2004); Nigg, C. R. (2005); Haas, S., & Nigg, C. R. (2009).

Parents were asked, “On usual weekdays (Monday to Friday), how many hours a day does your child spend watching Television and/or videos/ DVD?” They were asked the same question about the weekend days.

Among the 200 children participated in Pohnpei, all children had data on the overall time spent on watching TV. The overall average among those children is 1.7 hours/day (SD=1.7 hour) overall, and 1.7 hours (SD=1.8) on weekdays. 198 out of 200 children had data on the weekends and the average time spent was 1.8 hours (SD=1.8). The following table summarizes the distribution of duration of TV watching.

Table S.5.1. Hours per day of TV Watching

Hours per day child watches TV (n=157)	Percent of children		
	Per Day (adjusted for weekday and weekend)	Per Weekday	Per Weekend day
1/2 hour or less	29.5%	35.5%	35.4%
More than ½ hour up to 2 hours	35.5%	35.5%	27.8%
More than 2 hours up to 4 hours	24.0%	18.5%	27.8%
More than 4 hours up to 6 hours	7.5%	7.5%	8.1%
More than 6 hours up to 7 hours	3.5%	3.0%	1.0%
Total	100%	100%	100%

INACTIVE Video Games (Per day, Per Weekday, and Per Weekend day)

Parents were asked, “On a usual weekdays (Monday to Friday), how long on average a day does your child spend playing INACTIVE video games (DS, Play station, XBOX, Wii computer games, etc.)?” They were asked the same question about the weekend days.

Among the 200 children participated in Pohnpei, a total of 197 had data on the overall time spent on inactive video games. The **overall average among those 197 children is 1.0 hours/day** (SD=1.4 hours). A total of 193 children had data on weekday inactive video time. Average inactive video time on weekdays is 0.9 hours/day (SD=1.4). 195 children had data on weekend inactive video time. Average inactive video time on weekends is 1.1 hours/day (SD=1.5). The following table summarizes the distribution of duration of inactive video playing time.

Table S.5.2. Hours per day of Inactive Video Games

Hours per day child spent on inactive video games	Percent of children		
	Per Day (adjusted for weekday and weekend)	Per Weekday	Per Weekend day
1/2 hour or less	55.3%	63.2%	60.0%
More than ½ hour up to 2 hours	23.9%	19.7%	18.5%
More than 2 hours up to 4 hours	15.7%	13.0%	16.4%
More than 4 hours up to 6 hours	5.1%	4.2%	5.1%
More than 6 hours up to 7 hours	--	--	--
Total	100%	100%	100%

ACTIVE Video Games (Per day, Per Weekday, and Per Weekend day)

Parents were asked, “On a usual weekdays (Monday to Friday), how long on average a day does your child spend playing ACTIVE video games (DS, Play station, XBOX, Wii computer games, etc.)?” They were asked the same question about the weekend days.

Among the 200 children participated in Pohnpei, 196 had data on the overall time spent on active video games. The **overall average among those 196 children is 1.0 hours/day** (SD=1.4 hours). 189 children had data on weekday active video time. Average active video time on weekdays is 0.9 (SD=1.3). 193 children had data on weekend active video time. Average active video time on weekend is 1.0 (SD=1.5). The following table summarizes the distribution of duration of active video playing time.

Table S.5.3. Hours per day of Active Video Games

Hours per day child spent on active video games	Percent of children		
	Per Day (adjusted for weekday and weekend)	Per Weekday	Per Weekend day
1/2 hour or less	56.6%	62.4%	61.1%
More than ½ hour up to 2 hours	23.5%	21.2%	18.7%
More than 2 hours up to 4 hours	14.8%	13.8%	15.5%
More than 4 hours up to 6 hours	5.1%	2.7%	4.7%
More than 6 hours up to 7 hours	--	--	--
Total	100%	100%	100%

Screen Time - Overall

This variable was created by adding the hours for watching TV and DVDs, the hours playing active video games, and the hours playing inactive video games. The overall mean is a weighted average of weekday and weekend hours.

Among the 200 children participated in Pohnpei, 194 had data on the overall screen time, which averages to 3.4 hours/day (SD=3.4). A total of 195 had data on weekday screen time, which averages to 3.4 hours/day (SD=3.6). A total of 199 had data on weekend screen time, which averages to 3.9 hours/day (SD=4.0). The following table summarizes the distribution of duration of screen time.

Table S.5.4. Hours per day of Screen Time

Hours per day child spent on screen time	Percent of children		
	Per Day (adjusted for weekday and weekend)	Per Weekday	Per Weekend day
1/2 hour or less	24.2%	28.2%	27.6%
More than 1/2 hour up to 2 hours	22.2%	23.6%	17.6%
More than 2 hours up to 4 hours	17.5%	13.9%	20.6%
More than 4 hours up to 6 hours	17.5%	16.9%	11.1%
More than 6 hours up to 7 hours	18.6%	17.4%	23.1%
Total	100%	100%	100%

Summary

The national recommendation is that young children should spend 2 hours or less on screen time per day. **Among the 200 that participated, 90 (45.0%) of those children in Pohnpei met this recommendation.**



Section 6. Sleep

The National Sleep Foundation **recommends** for 2 year olds: 11-14 hours of sleep/night; for 3 to 5 year olds: 10-13 hours/night; and for 6 to 8 year olds: 9-11 hours/night. The National Sleep Foundation also gives a **range** that may be appropriate for an individual child which is a bit wider with 9-16 hours for 2 year olds; 8-14 hours for 3 to 5 year olds; and 7-12 hours for 6 to 8 year olds.

Parents were asked, “How many hours of sleep on average does your child get in a 24-hour period (at night and in naps)?” The respondents were asked to choose from 0 hours to over 13 hours in half hour increments. For those who chose over 13 hours, 13.5 hours was assigned instead; hence, the maximum hours are at 13.5 hours.

Some participants misunderstood the question but put down child’s nap time or hours sleep on the previous night instead of average sleep duration. Therefore, observations where sleep duration was less than 3.5 hours were removed from this report as those values are more or less considered as biologically implausible values.

Table S.6.1. Number and Percent of Children’s Average Hours of Sleep per day by Age

Hours of sleep in 24 hours at night and in naps (on average and from parent / caregiver report)	Number	%
2 year olds	9	100%
Less than 9 hours	2	22.2%
9 hours to less than 11 hours	6	66.7%
11 hours or more (to 13.5 hours)	1	11.1%
3 – 5 year olds	140	100%
Less than 8 hours	22	15.7%
From 8 hours to less than 10 hours	41	29.3%
From 10 hours to 13.5 hours	77	55.0%
6 – 8 year olds	18	100%

Hours of sleep in 24 hours at night and in naps (on average and from parent / caregiver report)	Number	%
Less than 7 hours	1	5.6%
From 7 hours to less than 9 hours	6	33.3%
From 9 hours to 13.5	11	61.1%

Table S.6.2. Number and Percent of Children Meeting Recommended Hours of Sleep

Met recommended hours of sleep	Number	%
Two year olds met recommendation of 11 – 14 hours of sleep	1	11.1%
Three to five year olds met recommendation of 10 – 13 hours of sleep	77	55.0%
Six to eight year olds met recommendation of 9 – 11 hours of sleep	11	61.1%

The following questions were modified from The Tayside children’s sleep questionnaire (McGreavey, Donnan, Pagliari, & Sullivan, 2005).

Table S.6.3. Number and Percent of Minutes to Fall Asleep

How long after going to bed does your child usually fall asleep?	Number	%
0 to less than 15 minutes	102	51.0%
15 to less than 30 minutes	54	27.0%
30 to less than 45 minutes	16	8.0%
45 to less than 60 minutes	7	3.5%
60 minutes and more	21	10.5%
Total	200	100%

Table S.6.4. Number and Percent of Children with Difficulty Getting to Sleep

The child has difficulty getting to sleep at night (and may require a parent to be present)	Number	%
This sleep behavior never occurs	138	69.4%
The behavior occurs once or twice a month	27	13.6%
Occurs one to two times a week	21	10.6%
Occurs between three and five nights a week	5	2.5%
The sleep behavior happens every night	8	4.0%
Total	199	100%

Table S.6.5. Number and Percent of Children Not Falling Asleep in Own Bed

Child does not fall asleep in his or her own bed.	Number	%
This sleep behavior never occurs	116	60.1%
The behavior occurs once or twice a month	33	17.1%
Occurs one to two times a week	26	13.5%
Occurs between three and five nights a week	8	4.2%
The sleep behavior happens every night	10	5.2%
Total	193	100%

Table S.6.6. Number and Percent of Children Waking Up at Night

Child wakes up during the night	Number	%
This sleep behavior never occurs	87	44.9%
The behavior occurs once or twice a month	56	28.9%
Occurs one to two times a week	38	19.6%
Occurs between three and five nights a week	6	3.1%
The sleep behavior happens every night	7	3.6%
Total	194	100%

Table S.6.7. Number and Percent of Children Difficulty Falling Asleep After Wakening

After waking up in the night, child has difficulty falling asleep again by him or herself.	Number	%
This sleep behavior never occurs	127	66.2%
The behavior occurs once or twice a month	38	19.8%
Occurs one to two times a week	18	9.4%
Occurs between three and five nights a week	5	2.6%
The sleep behavior happens every night	4	2.1%
Total	192	100%

Table S.6.8. Number and Percent of Children Sleeps Some of the Night in Parent's Bed

Child sleeps in the parent's bed at some time during the night	Number	%
This sleep behavior never occurs	52	27.2%
The behavior occurs once or twice a month	34	17.8%
Occurs one to two times a week	18	9.4%
Occurs between three and five nights a week	8	4.2%
The sleep behavior happens every night	79	41.4%
Total	191	100%

Table S.6.9. Number and Percent of Children Needing Parent to Replace a Comforter after Waking in Night

If child wakes, he or she uses a comforter (e.g. pacifier or binky) and requires a parent to replace it.	Number	%
This sleep behavior never occurs	150	76.5%
The behavior occurs once or twice a month	20	10.2%
Occurs one to two times a week	12	6.1%
Occurs between three and five nights a week	3	1.5%
The sleep behavior happens every night	11	5.6%
Total	196	100%

Table S.6.10. Number and Percent of Children Wanting a Drink during the Night

Child wants a drink during night (including breast or bottle-feed)	Number	%
This sleep behavior never occurs	115	58.7%
The behavior occurs once or twice a month	43	21.9%
Occurs one to two times a week	19	9.7%
Occurs between three and five nights a week	6	3.1%
The sleep behavior happens every night	13	6.6%
Total	196	100%

Table S.6.11. Number and Percent of Children with Sleeping Difficulties

Do you think your child has sleeping difficulties?	Number	%
No	176	93.1%
Yes	13	6.9%
Total	189	100%



Section 7. Medical

Parents answered the question: Does your child have any current medical conditions diagnosed by a doctor? Among the 195 children, 25 (12.8%) reported that their children had a medical conditions diagnosed by a doctor. The top medical condition was asthma (14, 58.3%).

Dental

Table S.7.1. Frequency of Brushing Teeth

How often does your child brush his/her teeth?	Number	%
More than once per day	140	73.7%
Once per day	45	23.7%
Once per week	2	1.1%
Once per year	2	1.1%
Never	1	0.5%

Table S.7.2. Seen by Dentist

In the past 12 months, did your child ever see a dentist for any routine preventive dental care?	Number	%
No	111	59.7%
Yes	75	40.3%
Total	186	100%



*Early Life & Feeding
Of A Child*



Section 8. Early Life and Feeding of Child

Birth Weight

Among the 200 children participated from Pohnpei, a total of 149 had information on birth weight. The distribution of birth weight into three groups is summarized in the following table.

Table S.8.1. Number and Percent of Children by Birth Weight

Birth Size	Number	%
Low birth weight < 2500 g	26	17.5%
Healthy birth weight (2500 – 4000 g)	112	75.2%
High birth weight > 4000 g	11	7.4%

Among the 200 children participated in Pohnpei, a total of 10 had information on birth length. Among the 10 children, 4 (40%) had birth length below 5 percentile using the CDC 2000 reference data, which is at 45.57 cm.

Early Feeding Pattern

Among the 200 children participated in Pohnpei, a total of 189 had information on breastfeeding. Among the 189 children, 162 (85.7%) of children were reported to be ever breastfed.

Table S.8.2. Number and Percent of Children Ever Breastfed or Fed Breast Milk

Child ever Breastfed or fed Breastmilk	Number	%
Yes	162	85.7%
No	27	14.3%
Total	189	100%
If Yes, (about children who were ever breastfed)		
Mean age child stopped breastfeeding or being fed breast milk (months) (n=101)	11.5 months (SD=10.2)	

Among the 200 children participated in Pohnpei, a total of 177 had information on formula feeding. Among those 177 children, 94 (53.1%) of children were reported to be ever formula fed. Mean age of children started formula feeding or stopped formula feeding is reported in the following table.

Table S.8.3. Number and Percent of Children Ever Fed Formula

Child ever fed formula	Number	%
Yes	94	53.1%
No	83	46.9%
Total	177	100%
If Yes, (about children who were fed formula)		
Mean age (SD) child first fed formula (months) (n=77)	3.7 months (SD=5.2)	
Mean age (SD) child completely stopped drinking formula (months) (n=64)	18.7 months (SD=13.9)	

A total of 143 out of the 200 children had information on age when the child was fed anything other than breast milk or formula (juice, cow's milk, sugar water, baby food, or anything else, even water). The mean age of this is 8.2 months (SD=11.2).



Household Demographics & Measures



Section 9. Household Demographics and Measures

Parents and other caregivers brought their children to participate in the CHL measurement study. The following section summarizes the participant's relationship to the child, the parent or caregiver's marital status, educational achievement, employment status, family income, and family structure.

Relationship

Relationship of the caregiver participant to the child is summarized in the following table.

Table S.9.1. Number and Percent of Caregiver's Relationship to Child

Relationship	Number	Percent
Biological mom	132	67.4%
Legal guardian, caregiver, other	30	15.3%
Birth dad	16	8.2%
Grandmother	10	5.1%
Other*	8	4.1%
<i>*Includes adoptive mom, adoptive dad, grandfather, and step dad</i>		

Marital Status

A total of 199 out of the 200 participants had marital status information of the respondent (see the following table).

Table S.9.2. Frequency and Percent of Caregiver's Marital Status

Marital Status	Number	Percent
Married	149	74.9%
Single and not living with boyfriend, girlfriend, or partner	22	11.1%
Widowed	15	7.5%
Single and living with boyfriend, girlfriend, or partner	4	2.0%
Divorced	4	2.0%
Other (not specified)	3	1.5%
Separated	2	1.0%

Household Size and Multi-generation Households

All 200 children had information on the number of people lived in the same household and their relationship to the child. Among them, 117 (58.5%) are from multi-generation households.

Mean size of household is 7, with the minimum of 2 and maximum of 46.

Education

The education levels of the caregivers – (the parents or guardians) are shown below

Table S.9. 3. Number and Percent of Caregiver's Education Level

Education	Number	Percent
Never attended school or only kindergarten	5	2.5%
Grades 1 up to 8 (elementary to middle)	49	24.5%
Grades 9 to 11(some high school)	47	23.5%
Grades 12 or GED (high school graduate)	35	17.5%
College or technical school 1 to 3 years	56	28.0%
College 4 years or more	8	4.0%
Total	200	100%

Employment Status of the Caregiver Participants

Among the 200 children participated in Pohnpei, all had information on whether the respondent is employed for wages/salary, whether he/she is self-employed, whether he/she is out of work for more than a year or less than a year, whether the respondent is a homemaker, a student, unable to work or has more than one job.

Table S.9.4. Number and Percent of Caregiver’s Employment Status

Employment	Number	%
Employed for wages / salary	43	21.5%
Self-employed	89	44.5%
Subsistence	24	12.0%
Out of work (less than 1 year)	19	9.5%
Out of work (more than 1 year)	20	10.0%
Homemaker	31	15.5%
Student	5	2.5%
Retired	1	0.5%
Unable to work	13	6.5%
More than one job	59	29.5%

*Note: responses may total over 100% because respondents could select more than one category.

Household Income Level

Among the 200 children participated in Pohnpei, 137 had information on annual Household income from all sources over the past 12 months. The following table summarizes this information.

Table S.9.5. Number and Percent of Caregiver’s Household Income Level

Annual household income in the past 12 months	Number	Percent
Under \$2500	76	55.5%
From \$2500 to less than \$5000	25	18.3%
Under \$10,000	17	12.4%
From \$10,000 to less than \$20,000	7	5.1%
From \$20,000 to less than \$35,000	3	2.2%
From \$35,000 to less than \$60,000	3	2.2%
From \$60,000 to less than \$75,000	5	3.7%
Above \$75,000	1	0.7%
Total	137	100%

Religion

Among the 200 children, a total of 195 had information on family's religious affiliation. Out of the 195, 1 (0.5%) reported no religious affiliation. Among the 194 with any type of religious affiliation, the distribution of different religious affiliations is presented in the following table. A total of 77 had information on how often they engage in religious activities. The mean number of times per month attending religious activities is 5.8 among those participants.

Table S.9.6. Number and Percent of Respondents' Religious Affiliation

Religion Affiliation	Frequency	Percent
Catholic	88	45.4%
Protestant	83	42.8%
Pentecostal	9	4.6%
Other*	8	4.1%
Mormon/Latter-day Saints	6	3.1%
Total	194	100%

*Includes Apostolic, Bahai, Baptist, Buddhist, and Christian

Food Security / Resource Availability

Food security and availability was included in the demographic questionnaire, to help understand the support services used by participants in our geographically varied jurisdictions. The food security questions were adapted from questions used by USDA to Assess Household Food Security (USDA, 2008). NHANES (cdc.gov/nchs/data/nhanes/nhanes_11_12/fsg_family.pdf).

Participants were asked, in the past 12 months, how often money for food or money for utilities run out before the end of the month. Among the 200 children participated in Pohnpei, a total of 182 had information on whether money for food runs out or not and whether money for utility runs out or not. The following table presents the answers.

Table S.9.7. Number and Percent of Caregiver's Money for Food and Utilities

Food Insecurity and Utilities in past 12 months	Number	%
---	--------	---

Money runs out for food before the end of the month.		
Never	28	15.4%
Seldom	21	11.5%
Sometimes	--	--
Most times	122	67.0%
Always	11	6.0%
Money for household utilities (water, fuel, etc.) runs out before the end of the month.		
Never	26	14.3%
Seldom	27	14.8%
Sometimes	--	--
Most times or always	124	68.1%
Always	5	2.8%

Water Source

Participants were asked, where they obtained the water used at home, and were asked to include water used for all purposes (cleaning, cooking, and etc.). Among the 200 children who participated in Pohnpei, 197 had information on the family's water source. Participants could select more than one response. The following table presents the answers.

Table S.9.8. Source of Water

Source of water used at home for all purposes	Number	Percent
Household Tap	79	40.1%
River/ Stream/ Creek	42	21.3%
Community Rain Water Collection	26	13.2%

Private Tap in Yard	24	12.2%
Public/ Shared Standpipe	20	10.2%
Purchased bottled water	28	14.2%
Home Rain water collection	18	9.1%
Neighbor's Tap	3	1.5%
Spring	21	10.7%
Refilling Station	4	2.0%

Culture

The degree of participants' own group's cultural and U.S. mainland cultural identifications were assessed using an acculturation questionnaire originally designed for use with Native Hawaiians (Kaholokula, Grandinetti, Nacapoy and Chang, 2008).

The following tables summarize responses to those questions.

Table S.9.9. Number and Percent of Caregiver's Knowledge of Traditional Culture and Lifestyle

Knowledge of traditional culture & lifestyle	Number	Percent
Very knowledgeable	39	19.8%
Somewhat knowledgeable	91	46.2%
Neutral or no response	10	5.1%
Somewhat not knowledgeable	35	17.8%
Not at all knowledgeable	22	11.2%

Table S.9.10. Number and Percent of Caregiver' Involvement with Traditional Culture and Lifestyle

Involved with traditional culture & lifestyle	Number	Percent
Very involved	33	16.8%
Somewhat involved	120	61.2%
Neutral or no response	4	2.0%
Somewhat not involved	17	8.7%
Not at all involved	22	11.2%

Table S.9.11. Number and Percent of Caregiver's Feelings towards Traditional Culture and Lifestyle

Feel towards traditional culture & lifestyle	Number	Percent
Very positive	81	41.8%
Somewhat positive	85	43.8%
Neutral or no response	15	7.7%
Somewhat negative	9	4.6%
Very negative	4	2.1%

Table S.9.12. Number and Percent of Caregiver's Association with Traditional Culture and Lifestyle

How often associate with people of your traditional culture & lifestyle	Number	Percent
Most of the time	38	19.3%
Somewhat often	119	60.4%
Neutral or no response	5	2.5%
Very little of the time	18	9.1%
Not at all	17	8.6%

Table S.9.13. Number and Percent of Respondents' Knowledge of U.S. Mainland/Lower 48 Culture and Lifestyle

Knowledge of U.S. Mainland / Lower 48 culture and lifestyle	Number	Percent
Very knowledgeable	13	6.6%
Somewhat knowledgeable	52	26.5%
Neutral or no response	4	2.0%
Somewhat not knowledgeable	50	25.5%
Not at all knowledgeable	77	39.3%

Table S.9.14. Number and Percent of Caregiver's Involvement in U.S. Mainland/Lower 48 Culture and Lifestyle

Involvement with U.S. Mainland / Lower 48 culture and lifestyle	Number	Percent
Very involved	6	3.1%
Somewhat involved	62	32.0%
Neutral or no response	10	5.2%
Somewhat not involved	28	14.4%
Not at all involved	88	45.4%

Table S.9.15. Number and Percent of Caregiver's Feelings toward U.S. Mainland/Lower 48 Culture and Lifestyle

Feeling towards U.S. Mainland / Lower 48 culture and lifestyle	Number	Percent
Very positive	39	20.1%
Somewhat positive	73	37.6%
Neutral or no response	52	26.8%
Somewhat negative	15	7.7%
Very negative	15	7.7%

Table S.9.16. Number and Percent of Caregiver's Association with U.S. Mainland/Lower 48 Culture and Lifestyle

How often associate with U.S. Mainland / Lower 48 culture and lifestyle	Number	Percent
Most of the time	11	5.7%
Somewhat often	58	29.9%
Neutral or no response	23	11.9%
Very little of the time	25	12.9%
Not at all	77	39.7%

Betel Nut, Tobacco and Alcohol

Betel nut

Among the 200 participants, a total of 194 who participated in Pohnpei had information on Betel nut chewing. Out of the 194, 83 (42.8%) reported having never chewed. Among the 111 who indicated that they had ever chewed, 101 (54.6%) indicated that they were current chewers.

Table S.9.16. Betel Nut Usage

Ever chewed Betel Nut	Number	Percent
Yes	111	57.2%
No	83	42.8%
Do you now chew Betel Nut?		
Yes	101	54.6%
No	84	45.4%

Participants were asked about items added to Betel quid when chewing (tobacco, lime, betel leaf etc.). The following tables provide their responses.

Table S.9.17. Betel Nut mixed with Tobacco

Tobacco included when chewing betel nut (from cigarette, snuff, twist tobacco, Red Man)	Number	Percentage
Yes	80	80.8%
No	19	19.2%
Lime included when chewing betel nut?		
Yes	95	94.1%
No	6	5.9%
Betel Leaf included when chewing?		
Yes	81	83.5%
No	16	16.5%
Added alcohol to any of the components of your chew (Nut, leaf, lime, or tobacco)?		
Yes	24	25.8%
No	69	74.2%

Participants were also asked if there were other household members who chewed Betel nut. 146 (76.4%) participants in Pohnpei indicated that there were other household members who chewed. The mean number of household members who chewed was 2.5.

Table S.9.18. Household Member Betel Nut Usage

Other household members chew Betel nut?	Number	Percentage
Yes	146	76.4%
No	45	23.6%
How many household members chew Betel nut?		
Average number of household members who chew (n=130)	2.5 members	

Tobacco

Among the 200 participants, a total of 190 had information on Tobacco use. Out of these 190 participants in Pohnpei, 42 (22.1%) reported current use of tobacco products. Mean number of tobacco products used per day was 8.2 sticks/pipes. Participants also reported whether other members of the household used tobacco, with the mean number of household tobacco users being 2.2 persons.

Table S.9.19. Tobacco Use

Do you now use any tobacco products (smoking cigarettes, cigars or pipes; chewing smokeless tobacco); Aside from adding to a betel quid?	Number	Percentage
Yes	42	22.1%
No	148	77.9%
Other household members use tobacco		
Yes	96	53.9%
No	82	46.1%
How many sticks/pipes do you smoke daily?		

Mean number of sticks/pipes smoked daily (n=16)	8.2 sticks/pipes
How many household members use tobacco (with or without betel nut)?	
Mean number of household members using tobacco (n=85)	2.2 persons

Community Assessment Results



VI. Community Assessment Results

The Community Assessment Toolkit or CAT is a collection of data-recording forms to evaluate the food and physical activity environments of communities. These enabled us to study determinants of healthy eating, physical activity, and obesity among youth.

Section 1. Food Resources and Physical Activity Environment

The assessment of the food environment included inventories and surveys of fast food restaurants, and food outlets, with documents adapted from other surveys (Bridging the Gap (BTG) and Community of Excellence (CX3))

- **CX3 Scores for Food outlet**
 - a. Accepts WIC and Food stamps / SNAP/ EBT
 - b. Availability of fresh fruit and quality of fruit
 - c. Availability of fresh vegetable and quality of vegetable
 - d. Other healthful foods
 - e. Unhealthy products
 - f. Nutrition information
 - g. Number of healthy and unhealthy ads present inside and outside the food outlet
 - h. Walkability
- **Fast food**
 - i. Advertisements that promoted price
 - j. Advertisements that included sugar-sweetened beverages
 - k. Number of healthy food options on the menu
 - l. Number healthy beverage options

The assessment of the physical activity environment included inventories and surveys of parks, school grounds, church grounds, and physical activity facilities, with documents adapted from Bridging the Gap (BTG). The assessment of community walkability was assessed with documents adapted from the National Center for Safe

Routes to School. Original forms can be found in Appendix A. CHL adapted forms can be found in Appendix B.

Section 2. Assessment of Parks

The Form used to assess parks is modified from the Bridging the Gap Program, University of Illinois at Chicago, Park Observation Form (See Appendix for form used). The purpose of this survey is to improve our understanding of accessibility of park settings and quality of opportunities for physical activity in these settings among CHL communities. A complete list of parks that were located within the community boundary, or on the periphery, and their locations was compiled for each community by local staff. Staff then assessed up to ten parks per community or all of them when there were less than ten parks in a community. Staff were instructed to spend about 30 minutes walking through each park to survey its accessibility, setting, amenities, sports fields (e.g., soccer, football, baseball), courts (e.g., tennis, basketball, volleyball), walking/running/biking trails, and incivilities.

Eligible parks: Local municipal or County Park that is open to the public

- Has equipment used for physical activity or play, including playing fields and courts AND/OR has green space or natural features, benches, walking paths, picnic tables, or other park features
- On-the-ground parks only. Must also have a sign designating it as a public park if no sports features are present

Exclusions: Campgrounds, golf courses, forest preserves, stadiums, zoos, state and national parks, private/resident-only (e.g., neighborhood association) parks, stand-alone fields/courts associated with a school.

Park Setting, Parking, Sidewalks, and Amenities

Upon entering the park staff assessed the presence of certain park settings, parking and sidewalk features, and certain park amenities.

Observations on park setting included whether it was a public park, whether it was adjacent to a school, and whether it shared sports features with a school. In Pohnpei, there were 7 out of 11 parks with this information. Out of those 7 parks, 5 were public parks and 2 were other communal spaces. Three (27.3%) parks were adjacent to a school, and 2 (20%) shared sports features with an adjacent school.

Two (40%) of the parks had on-site parking, while only 1 (20%) park had on-site parking with overhead lighting, and one (20%) had bicycle parking. None of the parks had a sidewalk leading up to the entrance of the school, and none had sidewalks with overhead lighting.

Observations on park amenities included whether it had closing time signage, restrooms, showers, and beverage vending machines. Among the 3 parks with such information, none had closing time signage, 2 (66.7%) had restrooms, none had showers, and none had beverage vending machines.

Table S.2.1. Park Setting (N=11)

Park Setting	Number	Percent
Setting		
Public Park (n=7)	5	71.4%
Adjacent to a school	3	27.3%
Shares sports features with a school (n=10)	2	20.0%
Parking		
Parking on-site available (not including street parking) (n=5)	2	40.0%
Parking has lights (n=5)	1	20.0%
Bicycle parking racks or cages available (n=5)	1	20.0%
Sidewalk		

Sidewalks on street lead up to the entrance (n=4)	0	0.0%
Sidewalks have lighting (n=5)	0	0.0%
Amenities (n=3)		
Park has closing time signage	0	0.0%
Restrooms present	2	66.7%
Showers present	0	0.0%
Beverage vending machines present	0	0.0%

Park Access and Barriers to Entry

Staff assessed each park for an entrance fee, signage limiting entry and any physical barriers around the perimeter of the park. Among the 11 park surveyed in Pohnpei, 1 park had information on entrance fee. The park did not have an entrance fee available. Among the 11 parks surveyed in Pohnpei, 6 (54.6%) had signage indicating the park name, 2 (18.2%) had signage stating that public use of the park was limited to specific times, and 1 (10%) signage indicating that the park was private or had restricted access at all times (e.g. no trespassing, school use only). Furthermore, 1 (10%) of the parks had a locked fence or other physical barrier around the perimeter.

Table S.2.2. Park Access and Barriers (N=11)

Access and Barriers		
Signage indicates park name	6	54.6%
Signage states public use of area is limited to specific times	2	18.2%
Signage states area is private or restricted access at all times (n=10)	1	10.0%
Locked fence or other physical barrier around the perimeter prevents public access (n=10)	1	10.0%

Sports Features

Staff assessed each park for a specific list of sports features to determine the number of each feature present and whether such a feature had lighting or not. Staff also rated the condition of each feature.

Feature Descriptions

- **Field, Multi-use:** A multi-use field is a large, flat, open space usable as an athletic field for more than one sport.
- **Field, Football:** A field should have the appropriate layout, markings, and/or equipment in order to be identified as a football field.
- **Field, Baseball:** A field should have the appropriate layout, markings, and/or equipment in order to be identified as a baseball field.
- **Field, Soccer:** A field should have the appropriate layout, markings, and/or equipment in order to be identified as a soccer field.
- **Court, Basketball:** A court should have the appropriate layout, markings, and/or equipment in order to be identified as a basketball court.
- **Court, Tennis:** A court should have the appropriate layout, markings, and/or equipment in order to be identified as a tennis court.
- **Court, Volleyball:** A court should have the appropriate layout, markings, and/or equipment in order to be identified as a volleyball court.
- **Court, Multi-use:** This includes large courts that contain equipment or the capability of holding equipment for different sports such as both basketball and volleyball.
- **Running/Walking Track:** A running/walking track may be located on the perimeter of a field or as part of a track and field stadium. Most tracks will have lane and/or distance markings.
- **Pool:** This includes—
 - A pool that is at least 3 feet deep at the deepest end.
 - A wading pool that is less than 3 feet deep at the deepest end and intended for use by small children.

- **Playground Area:** A playground area includes swings, monkey bars, climbing apparatuses, slides, see-saws, spring features, and other items meant for children’s play. In CHL survey, staff was trained to count only the number of areas, not the specific equipment or apparatuses.
- **Skateboarding Facilities:** Skateboarding facilities include ramps, tracks, and other apparatuses meant for use by skateboarders or in-line skaters. In CHL survey, staff was trained to count only the number of rooms or areas, not the specific equipment or apparatuses.
- **Exercise Stations with or without Signage:** Exercise stations are designated activity points. Exercise stations may also be called Fitness Trails or Fit Trails.
- **Rock Climbing Wall:** A rock climbing wall is a natural or artificially constructed outdoor wall with grips for hands and feet, used for climbing.

Condition of the Feature

Staff rated the condition and the presence of lighting for each feature item. The condition of a feature could be recorded as “poor”, “okay/good”, or “not rated”. When there was more than one item per feature, each item was evaluated for condition while the presence of lighting was assessed across all items in a feature. For example, if a park had 3 basketball courts and 2 were in okay condition, 1 was in poor condition, and 1 of them had lighting, then the staff would record the number of basketball courts as 3, 2 of which are rated okay/good, 1 rated as poor, and one basketball courts had lighting.

Feature condition was rated based on the feature’s surface and related equipment, if any was available for the feature. Ultimately the feature condition rating was related to whether or not players could safely play or engage in physical activity on a feature without risking injury or falling. Staff took into consideration the type of activities that would take place on or within a particular feature as well as the material comprising the surface when considering its condition. When assessing the condition of equipment used for physical activity, staff took into consideration age, functionality, wear and tear, damage such as dents or sharp edges, missing pieces, and rust. For example, if a playing surface was composed of concrete, staff assessed whether smooth concrete

covered the entire surface and looked for cracks or uneven slabs in the concrete surface.

Survey Results for Sports Features

Across the 11 parks surveyed in Pohnpei, there were a total of 36 features, of which 16 were rated as ok/good, 13 were rated as poor, and 7 were not rated. Among the rated features, 55.1% were rated as ok/good.

Pools were the most frequent features (20), followed by playgrounds (4). Playgrounds may be of particular interest to families with young children. Among the 4 playgrounds in Pohnpei, 2 were rated ok/good, 2 were not rated, and none of the schools had a playground area with lighting. The following table (Table S.2.3) summarizes the number of each sports feature, the conditions of the feature, and whether lighting was present for the feature across the 11 parks in Pohnpei.

Table S.2.3. Sports Features across 11 Parks in Pohnpei

Feature	Total number of the feature	Condition of the Feature			Number of features w/ Lighting
		OK/Good	Poor	Not rated	
Field multiuse	2	0	2	0	1
Field football	0	0	0	0	0
Field baseball	0	0	0	0	0
Field soccer	1	0	1	0	1
Court basketball	2	1	1	0	1
Court tennis	0	0	0	0	0
Court volleyball	3	1	2	0	1
Court multiuse	2	0	2	0	1
Track	1	1	0	0	0
Pool	20	10	3	7	0
Playground	4	2	2	0	0
Skateboarding	0	0	0	0	0
Exercise Stations	0	0	0	0	0
Rock Climbing	1	1	0	0	1

Park Features and Amenities

Staff assessed each park for a specific list of features and amenities to determine if the feature or amenity was present and to rate the condition of the surface or feature.

When staff were unable to determine the condition of one or more features of a specific type (if more than one present), they rated the features of that type that were able to be rated. When any features of a specific type could not be rated due to construction/repairs or seasonal closure staff selected not rated.

Feature or Amenity Descriptions

- **Green Space:** This includes natural or landscaped space not specifically designated for physical activity
- **Beaches:** This includes natural or man-made beaches on the edge of water features such as lakes, rivers, and lagoons, as well as beaches at coastal parks.
- **Beaches Swimmable:** This includes any beach area with minimal shore break for a 3-5 year old to swim in.
- **Beaches Recreational:** This includes any beach with facilities for family picnics, barbecues, sports, water-sports, etc.
- **Beaches with Lifeguard:** This may be a swimmable beach, recreational beach, or both wherein lifeguards are present to monitor activities and to alert families of changing currents.
- **Other Water Features:** This includes natural or man-made bodies of water that may be present, including streams, creeks, rivers, ponds, lakes, lagoons, and in case of coastal parks, ocean.
- **Shelters:** This refers to a permanent structure with a roof to protect users from rain or sun. Walls are not required. Cloth or lattice canopies over picnic tables or exercise equipment and pergolas are not included.
- **Picnic Tables, Shaded:** This refers to a table top with benches, including outdoor lunch tables. Shade can be provided by tree or a structure.
- **Picnic Tables, not Shaded:** This refers to a table top with benches including outdoor lunch tables. These include tables without trees or a structure.

- **Benches:** Benches are structures designed to function as seating. These do not include picnic tables or retaining/supporting/landscaped walls whose primary function is not seating.
- **Drinking Fountains:** These include freestanding or attached water dispensers intended for drinking.
- **Decorative Water Fountains:** These include ornamental structures from which jet(s) or stream(s) of water is issued and reflecting pools. Decorative fountains are not used for drinking or swimming.
- **Trash Containers:** These are receptacles for litter and refuse that can be made of metal, plastic, or paper/plastic bags. They may be stand-alone or attached to a building.
- **Grills/Fire Pits:** These are structures designed for cooking meats or other foods over open fire. A fire pit may be built directly into the ground or may be a wide and low metal container that holds coals or wood.
- **Fence:** Large areas of the park are enclosed by a fence.
- **Trails:** These include paved or unpaved pathways or footpaths for walking, biking, roller-skating, etc. Trails are distinct from running/walking tracks in that they tend not follow a strict oval shape, but will usually follow an irregular direction and cover a greater distance than a track.

Survey Results of Park Features and Amenities

Among the 11 parks surveyed in Pohnpei, there were a total of 50 features and amenities, of which 30 were rated as ok/good, 16 were rated as poor, and 4 were not rated. Among the rated features and amenities, 65.2% were rated as ok/good. The most common features and amenities present were green space, benches, and grills. Table S.2.4 summarizes the total number and condition of each individual feature/amenities which was assessed.

Table S.2.4. Park Features and Amenities across 11 Parks in Pohnpei

Feature	Total Number of the Feature	Condition of the Feature		
		OK/Good	Poor	Not rated

Green Space	7	2	4	1
Beach swim	4	3	1	0
Beach recreational	4	3	1	0
Beach lifeguard	1	1	0	0
Waterpark	2	2	0	0
Shelters	4	3	0	1
Picnic Tables w/Shade	5	3	2	0
Picnic Tables w/o Shade	4	3	1	0
Benches	6	3	2	1
Drinking fountain	0	0	0	0
Décor fountain	0	0	0	0
Trash bins	4	2	2	0
Grills	6	3	2	1
Fence	1	0	1	0
Trails	2	2	0	0

Incivilities

Staff assessed each park for a list of incivilities and how much each was present. The term incivility is used to describe items in the environment that might discourage physical activity. These items are often signs of area deprivation. The following items in this section were used to assess the physical disorder of the park grounds environment.

- **Garbage/Litter:** Includes paper, packaging, and other items of refuse not included in other categories below.
 - **Broken Glass:** Includes any types of broken glass, such as bottles, etc.

- **Graffiti/Tagging:** Refers to “unapproved” writing such as painted or drawn signs or symbols (e.g., gang insignia) on the building and/or exterior property. Do not include painted murals or public art.
- **Evidence of Alcohol Use:** This includes beer or other alcohol-related bottles, cans or caps littering the ground or in/around overflowing trash cans. You do not need to check inside the trash cans for evidence of alcohol use.
- **Evidence of Substance Abuse:** This includes syringes, baggies, rolling papers, etc.
- **Sex Paraphernalia:** This includes condoms, condom wrappers, or other contraceptive device/material, or visible pornographic reading material.
- **Dog Refuse:** There is dog refuse visible.
- **Dogs Unattended:** There are dogs who wander the facility not under advice or leash.
- **Vandalism:** There are evidences of broken windows or other broken features.

Staff looked for incivilities throughout the park and assigned a score for each incivility type based upon the amount that was present across the park settings. The possible ratings were: none (0), a little (1), some (2), and a lot (3). For the community, average rating for each of the item was used. Mean rating across all 9 items were then used as an overall rating of incivilities across all parks surveyed in that community.

Among the 11 parks in Pohnpei, there was a little bit of incivilities (mean=1.0; SD=0.4). There was on average, a little bit of garbage, broken glass, graffiti/tagging, evidence of alcohol use, sex paraphernalia, dog refuse, dogs left unattended, vandalism and some evidence of substance abuse (Table S.2.5.).

Table S.2.5. Average Amount of Each Incivility across 11 Parks in Pohnpei

Incivility Type	Amount
Garbage	A little
Broken glass	A little
Graffiti/Tagging	A little
Evidence of Alcohol use	A little
Evidence of Substance Abuse	Some
Sex Paraphernalia	A little
Dog Refuse	A little
Dogs Unattended	A little
Vandalism	A little

Section 3. Assessment of Schools

Method: The tool used to assess schools is modified from the Bridging the Gap Program, University of Illinois at Chicago, School Observation Form (See APPENDIX for form used). The purpose of this survey is to improve our understanding of the availability and quality of physical activity features that are located on school grounds in CHL communities. A complete list of schools that were located within the community boundary, or on the periphery, and their locations was compiled for each community by local staff. Staff then assessed up to ten schools per community or assessed all of them when there were fewer than ten schools in a community. Staff were instructed to spend about 30 minutes walking through each school grounds to survey its accessibility, setting, amenities, sports fields (e.g., soccer, football, baseball), courts (e.g., tennis, basketball, volleyball), other features (e.g. track, pool, and playground) and incivilities.

Eligible schools: All school grounds were eligible for assessment. This includes schools sharing some sports features with an adjacent park.

School Setting, Parking, Sidewalks, and Amenities

Method: Upon entering the school, staff assessed the presence of certain school settings, parking and sidewalk features, and certain school amenities.

Observations on school setting included whether it was adjacent to a park. In Pohnpei, there were 12 out of 13 schools with this information. Among the 12 schools, 4 (33.3%) were adjacent to a park, and 4 (33.3%) shared sports features with an adjacent park.

Among the 13 schools, 8 had information on parking. 5 (62.5%) of the schools had on-site parking, while no schools had on-site parking with overhead lighting, and 5 (62.5%) had bicycle parking. None had a sidewalk leading up to the entrance of the school, and none had sidewalks with overhead lighting.

Observations on school amenities included whether it had closing time signage, restrooms, showers, and beverage vending machines. Among the 8 out of 13 schools

with such information, none had closing time signage, 7 (87.5%) had restrooms, 1 (12.5%) had showers, and none had beverage vending machines.

Table S.3.1. School Setting (N=13)

School Setting	Number	Percent
Setting (n=12)		
Adjacent to a park	4	33.3%
Shares sports features with a park	4	33.3%
Parking (n=8)		
Parking on-site available (not including street parking)	5	62.5%
Parking has lights	0	0%
Bicycle parking racks or cages available	5	62.5%
Sidewalk		
Sidewalks on street lead up to the entrance	0	0%
Sidewalks have lighting	0	0%
Amenities (n=8)		
School has closing time signage	0	0%
Restrooms present	7	87.5%
Showers present	1	12.5%
Beverage vending machines present	0	0%

School Access and Barriers to Entry

Staff assessed each school for signage limiting entry and any physical barriers around the perimeter of the school. Among the 13 schools surveyed in Pohnpei, 12 (92.3%) had signage indicating the school name, 1 (7.7%) had signage stating that public use of the school was limited to specific times (e.g., after school), 1 (7.7%) had signage indicating that the school was private or had restricted access at all times (e.g. no trespassing, school use only), and 4 (30.8%) had a locked fence or other physical barrier around the perimeter.

Table S.3.2. School Access and Barriers (N=13)

Access and Barriers		
Signage indicates school name	12	92.3%
Signage states public use of area is limited to specific times	1	7.7%
Signage states area is private or restricted access at all times	1	7.7%
Locked fence or other physical barrier around the perimeter prevents public access	4	30.8%

Sports Features

Staff assessed each school for a specific list of sports features to determine the number of each feature present and whether such a feature had lighting or not. Staff also rated the condition of each feature. These features are the same as those included in the assessment of parks.

Condition of the Feature

Staff rated the condition and the presence of lighting for each feature item. The condition of a feature could be recorded as “poor”, “okay/good”, or “not rated”. When there was more than one of a particular feature, each was evaluated for condition while the presence of lighting was assessed across all features. For example, if a school had 3 basketball courts and 2 were in okay condition, 1 was in poor condition, and 1 of them had lighting, then the staff would record the number of basketball courts as 3, 2 of which were rated okay/good, 1 was rated as poor, and that this school had lighting for this feature.

Feature condition was rated based on the feature’s surface and related equipment, if any was available for the feature. Ultimately the feature condition rating was related to whether or not players could safely play or engage in physical activity on a feature without risking injury or falling. Staff took into consideration the type of activities that would take place on or within a particular feature as well as the material comprising the

surface when considering its condition. When assessing the condition of equipment used for physical activity, staff took into consideration age, functionality, wear and tear, damage such as dents or sharp edges, missing pieces, and rust. For example, if a playing surface was composed of concrete, staff assessed whether smooth concrete covered the entire surface and looked for cracks or uneven slabs in the concrete surface. See APPENDIX C for a detailed protocol on how each sports feature was rated for condition.

Survey Results for Sports Features

Across the 12 schools surveyed in Pohnpei, there were a total of 26 sports features, of which 4 were rated as ok/good, 22 were rated as poor, and 0 was not rated. Among the rated features, 15.3% were rated as ok/good.

Multiuse fields were the most frequent features (6), followed by multiuse courts (5) and playgrounds (5). Playgrounds may be of particular interest to families with young children. Among the 5 playgrounds in Pohnpei, all 5 were rated as poor and 1 of the schools had a playground area with lighting. The following table (Table S.3.3) summarizes the number of each sports feature, the conditions of the feature, and whether lighting was present for the feature across all 12 schools in Pohnpei.

Table S.3.3. Sports Features Across all 12 Schools in Pohnpei

Feature	Total number of the feature	Condition of the Feature			Number of schools w/ Lighting
		OK/Good	Poor	Not rated	
Field multiuse	6	1	5	0	0
Field football	1	0	1	0	0
Field baseball	1	0	1	0	0
Field soccer	1	0	1	0	0
Court basketball	1	1	0	0	1
Court tennis	0	0	0	0	0
Court volleyball	3	0	3	0	0
Court multiuse	5	2	3	0	2
Track	2	0	2	0	0

Pool	0	0	0	0	0
Playground	5	0	5	0	1
Skateboarding	0	0	0	0	0
Exercise Stations	1	0	1	0	0
Rock Climbing	0	0	0	0	0

School Features and Amenities

Method: Staff assessed each school for a specific list of features and amenities to determine if the feature or amenity was present and to rate the condition of the surface or feature. These features are the same as those included in the assessment of parks.

When staff were unable to determine the condition of one or more features of a specific type (if more than one present), they rated the features of that type that were able to be rated. When any features of a specific type could not be rated due to construction/repairs or seasonal closure, staff selected not rated.

Survey Results of School Features and Amenities

Among the 12 schools surveyed in Pohnpei, there were a total of 55 features and amenities, of which 18 were rated as ok/good, 34 were rated as poor, and 3 were not rated. Among the rated features and amenities, 34.6% were rated as ok/good. The most common features and amenities present were green space and trash bins. Table S.3.4. summarizes the total number and condition of each individual feature/amenity which was assessed.

Table S.3.4. Features and Amenities Across all 12 Schools in Pohnpei

Feature	Total Number of the feature	Condition of the Feature		
		OK/Good	Poor	Not rated
Green Space	12	4	8	0
Beach for swimming	1	0	1	0
Beach, recreational	0	0	0	0
Beach with lifeguard	0	0	0	0
Waterpark	0	0	0	0
Shelters	5	4	1	0
Picnic Tables w/ Shade	8	3	4	1
Picnic Tables w/o Shade	3	3	0	0
Benches	8	2	4	2
Drinking fountain	0	0	0	0
Decorative fountain	0	0	0	0
Trash bins	10	0	10	0
Grills	1	0	1	0
Fence	6	2	4	0
Trails	1	0	1	0

Incivilities

Method: Staff assessed each school for a list of incivilities and how much each was present. The term incivility is used to describe items in the environment that might discourage physical activity. These items are often signs of area deprivation or markers

of blight. The following items in this section were used to assess the physical disorder of the school grounds environment. These incivilities are the same as those included in the assessment of parks.

Amount of Incivilities

Staff looked for incivilities throughout the school and assigned a score for each of 9 incivility types based upon the amount that was present across the school settings. The possible ratings were: none (0), a little (1), some (2), and 3 (a lot). For the community, average rating for each of the item was used.

Among the twelve schools in Pohnpei, there was no evidence of sex paraphernalia. However, there was, on average, a little bit of garbage, broken glass, graffiti/tagging, evidence of alcohol use, evidence of substance abuse, dog refuse, dogs left unattended, and vandalism (Table S.3.5).

Table S.3.5. Average Amount of Each Incivility Across all 12 Schools in Pohnpei

Incivility Type	Amount
Garbage	A little
Broken glass	A little
Graffiti/Tagging	A little
Evidence of Alcohol use	A little
Evidence of Substance Abuse	A little
Sex Paraphernalia	None
Dog Refuse	A little
Dogs Unattended	A little
Vandalism	A little

Section 4. Assessment of Churches

Method: The tool used to assess churches is modified from the Bridging the Gap Program, University of Illinois at Chicago, Park Observation Form (See APPENDIX for form used). The purpose of this survey is to improve our understanding of the availability and quality of physical activity features that are located on church grounds in CHL communities. This assessment was only performed in jurisdictions where churches are commonly used as places for physical activity. A complete list of churches that had some outdoor physical activity features, such as fields, and that were located within the community boundary, or on the periphery, and their locations, was compiled for each community by local staff. Staff then assessed up to ten churches per community or assessed all of them when there were fewer than ten churches in a community. Staff were instructed to spend about 30 minutes walking through the grounds of each church to survey its accessibility, setting, amenities, sports fields (e.g., soccer, football, baseball), courts (e.g., tennis, basketball, volleyball), other features (e.g. track, pool, and playground) and incivilities.

Eligible Churches: The grounds of any church that had outdoor physical activity features and was on the inventory list were eligible for assessment.

Church Setting, Parking, Sidewalks, and Amenities

Method: Upon entering the church grounds, staff assessed the presence of certain church settings, parking and sidewalk features, and certain church amenities.

In Pohnpei, there were 15 churches. Observations on church settings included whether it was within a quarter mile of another community feature (e.g. a school, housing, food store). Among the 15 churches, 6 (40%) churches were near another sport area.

Of the 15 churches, 11 (84.6%) had on-site parking, while 3 (23.0%) churches had on-site parking with overhead lighting. Two (15.4%) churches had a sidewalk leading up to the entrance of the church and 1 (7.7%) of the churches had sidewalks with lighting overhead. Nine (69.2%) of the churches had bicycle parking.

Observations on church amenities included whether it had closing time signage, restrooms, showers, and beverage vending machines. Among the 15 churches, one (7.7%) had closing time signage, 12 (92.3%) had restrooms, 5 (38.5%) had showers, and none had beverage vending machines.

Table S.4.1. Church Setting (N=15)

Church Setting	Number	Percent
Setting		
Within ¼ of a mile from another community feature	6	40%
Parking (n=13)		
Parking on-site available (not including street parking)	11	84.6%
Parking has lights	3	23.0%
Bicycle parking racks or cages available	9	69.2%
Sidewalk (n=13)		
Sidewalks on street lead up to the entrance	2	15.4%
Sidewalks have lighting	1	7.7%
Amenities (n=13)		
Church has closing time signage	1	7.7%
Restrooms present	12	92.3%
Showers present	5	38.5%
Beverage vending machines present (n=12)	0	0%

Church Access and Barriers to Entry

Staff assessed each church for signage limiting entry and any physical barriers around the perimeter of the church. Among the 15 churches surveyed in Pohnpei, 5 (33.3%) had signage indicating the church name, all 15 (100%) had signage stating that an area

was open to the public, none had signage indicating that an area was open to church members only, 2 (13.3%) had signage indicating that use of an area was limited to specific times, 14 (93.3%) had signage that use of an area required permission (e.g. from a minister or deacon), 8 (53.3%) had signage stating that supervision was needed (e.g. by an adult or minister), 1 (6.7%) had signage stating that an area was private or restricted at all times, and 3 (20%) had a locked fence or other physical barrier around the perimeter.

Table S.4.2. Church Access and Barriers (N=15)

Access and barriers		
Signage indicates church name	5	33.3%
Signage states an area is open to the public	15	100%
Signage states an area is open to church members only	0	0%
Signage indicates that use of an area was limited to specific times	2	13.3%
Signage states that use of an area required permission	14	93.3%
Signage states that supervision was needed	8	53.3%
Signage states area is private or restricted access at all times	1	6.7%
Locked fence or other physical barrier around the perimeter prevents public access	3	20.0%

Sports Features

Staff assessed each church for a specific list of sports features to determine the number of each feature present and whether such a feature had lighting or not. Staff also rated the condition of each feature. These features are the same as those included in the assessment of parks.

Condition of the Feature

Staff rated the condition and the presence of lighting for each feature item. The condition of a feature could be recorded as “poor”, “okay/good”, or “not rated”. When there was more than one of a particular feature, each was evaluated for condition while the presence of lighting was assessed across all features for each church. For example, if a church had 3 basketball courts and 2 were in okay condition, 1 was in poor condition, and 1 of them had lighting, then the staff would record the number of basketball courts as 3, 2 of which were rated okay/good, 1 was rated as poor, and that this church had lighting for this feature.

Feature condition was rated based on the feature’s surface and related equipment, if any was available for the feature. Ultimately the feature condition rating was related to whether or not players could safely play or engage in physical activity on a feature without risking injury or falling. Staff took into consideration the type of activities that would take place on or within a particular feature as well as the material comprising the surface when considering its condition. When assessing the condition of equipment used for physical activity, staff took into consideration age, functionality, wear and tear, damage such as dents or sharp edges, missing pieces, and rust. For example, if a playing surface was composed of concrete, staff assessed whether smooth concrete covered the entire surface and looked for cracks or uneven slabs in the concrete surface.

Survey Results for Sports Features

Across the 15 churches surveyed in Pohnpei, there were a total of 17 sports features, of which 9 was rated as ok/good, 5 were rated as poor, and 3 were not rated. Among the rated features, 64.3% were ok/good. Volleyball courts were the most common sports features (5), followed by playgrounds (4).

The following table (Table S.4.3) summarizes the number of each sports feature, the conditions of the feature, and whether lighting was present for the feature across all 15 churches in Pohnpei.

Table S.4.3. Sports Features across 15 Churches in Pohnpei

Feature	Total number of the feature	Condition of the Feature		
		OK/Good	Poor	Not rated
Field multiuse	2	0	1	1
Field football	1	0	0	1
Field baseball	1	0	1	0
Field soccer	1	0	0	1
Court basketball	1	1	0	0
Court tennis	0	0	0	0
Court volleyball	5	4	1	0
Court multiuse	1	1	0	0
Track	0	0	0	0
Pool	0	0	0	0
Playground	4	2	2	0
Skateboarding	1	1	0	0
Exercise Stations	0	0	0	0
Rock Climbing	0	0	0	0

Church Features and Amenities

Method: Staff assessed each church for a specific list of features and amenities to determine if the feature or amenity was present and to rate the condition of the surface or feature. These features are the same as those included in the assessment of parks.

When staff were unable to determine the condition of one or more features of a specific type (if more than one present), they rated the features of that type that were able to be rated. When any features of a specific type could not be rated due to construction/repairs or seasonal closure, staff selected not rated.

Survey Results of Church Features and Amenities

Among the 15 churches in Pohnpei, there were a total of 65 features and amenities, of which 29 were rated as ok/good, 25 were rated as poor, and 11 were not rated. The most common features and amenities present were green space (12), shelters (12), benches (10), grills (10), and trash bins (9). Table S.4.4. summarizes the total number and condition of each individual feature/amenity that was assessed.

Table S.4.4. Features and Amenities across 15 Churches in Pohnpei

Feature	Total Number of the feature	Condition of the Feature		
		OK/Good	Poor	Not rated
Green Space	12	7	2	3
Beach for swimming	0	0	0	0
Beach, recreational	0	0	0	0
Beach with lifeguard	0	0	0	0
Waterpark	0	0	0	0
Shelters	12	7	3	2
Picnic Tables w/ Shade	8	5	2	1
Picnic Tables w/o Shade	2	1	0	1
Benches	10	4	4	2
Drinking fountain	0	0	0	0
Decorative fountain	0	0	0	0
Trash bins	9	3	6	0
Grills	10	1	7	2
Fence	1	1	0	0
Trails	1	0	1	0

Incivilities

Method: Staff assessed each church for a list of incivilities and how much each was present. The term incivility is used to describe items in the environment that might discourage physical activity. These items are often signs of area deprivation or markers

of blight. The following items in this section were used to assess the physical disorder of the church grounds environment. These incivilities are the same as those included in the assessment of parks.

Amount of Incivilities

Staff looked for incivilities throughout the church and assigned a score for each of 9 incivility types based upon the amount that was present across the church settings. The possible ratings were: none (0), a little (1), some (2), and 3 (a lot). For the community, average rating for each of the item was used.

Among the 15 churches in Pohnpei, there were a little bit of incivilities. There was no evidence of sex paraphernalia. However, there was, on average, a little bit of garbage, broken glass, graffiti/tagging, evidence of alcohol use, evidence of substance use, dog refuse, dogs left unattended, and vandalism (Table S.4.5).

Table S.4.5. Average Amount of Each Incivility across 15 Churches in Pohnpei

Incivility Type	Amount
Garbage	A little
Broken glass	A little
Graffiti/Tagging	A little
Evidence of Alcohol use	A little
Evidence of Substance Abuse	A little
Sex Paraphernalia	None
Dog Refuse	A little
Dogs Unattended	A little
Vandalism	A little

Section 5. Assessment of Physical Activity Facilities

Method: The tool used to assess physical activity (PA) facilities is modified from the Bridging the Gap Program, University of Illinois at Chicago, PA Facility Observation Form (See APPENDIX). The purpose of this survey is to improve our understanding of the availability and quality of physical activity features that are located on PA facility grounds in CHL communities. A complete list of PA facilities that were located within the community boundary, or on the periphery, and their locations was compiled for each community by local staff. Staff then assessed up to ten PA facilities per community or assessed all of them when there were fewer than ten PA facilities in a community. Staff were instructed to spend about 30 minutes walking through each PA facility grounds to survey its setting, amenities, sports fields (e.g., soccer, football, baseball), courts (e.g., tennis, basketball, volleyball), other features (e.g. track, pool, and playground) and incivilities.

Eligible PA Facilities:

Observations in PA facilities included for-profit and non-profit facilities. Examples of non-profit PA facilities are public community recreation centers, YMCA/YWCAs, and Boys and Girls Clubs (BGCs). For-profit PA facilities include gyms, health clubs, and other physical-activity related businesses that allow patrons to come in and use equipment or other facilities (e.g., courts, gymnasiums), usually for a recurring fee or membership schedule.

For Pohnpei, 7 facilities were listed on the inventory and 7 were assessed.

PA Facility Setting and Fees

Upon entering the PA facility, staff assessed the presence of certain PA facility settings and fees.

Observations on PA facility setting included facility type, the presence of indoor and outdoor sports features, childcare and teen services, and types of fees. Among the 7 PA

facilities assessed, all had information on setting. Out of those 7 PA facilities, 2 (28.6%) were a community recreation center and 5 (71.4%) were communal play spaces. Among the 7 PA facilities, 6 (85.7%) had only outdoor features and 1 (14.3%) had both only outdoor features. No facilities had child care available and only 1 (14.3%) facility had teen services available. Two facilities offered a daily fee, and a discount for low-income. None of the facilities had a discount for youth. Table S.5.1 summarizes this information.

Table S.5.1. PA Facility Setting (N=7 unless otherwise noted)

PA facility Setting	Number	Percent
Setting		
Community Recreation Center	2	28.6%
Communal Play Space	5	71.4%
Sport feature location		
Indoor	0	0.0%
Outdoor	6	85.7%
Both Indoor and Outdoor	1	14.3%
Services		
Childcare (n=6)	0	0.0%
Teen activities	1	14.3%
Fees		
Daily Fees (n=3)	2	66.7%
Fee discount for low-income (n=2)	2	100.0%
Fee discount for youth (n=2)	0	0.0%

PA Facility Parking, Sidewalks and Amenities

Staff assessed each PA facility for on-site parking, parking overhead lighting, bicycle parking, a sidewalk leading up to the entrance, and sidewalk overhead lighting. Among the 7 PA facilities surveyed in Pohnpei, 6 (85.7%) had on-site parking, 3 (42.9%) had parking overhead lighting, and 3 (42.9%) had bicycle parking. A total of 2 (33.3%) had a sidewalk leading up to the entrance and 1 (14.3%) had a sidewalk with overhead lighting.

Observations on PA facility amenities included whether it had restrooms, showers, and beverage vending machines both inside and outside. Among the 7 PA facilities with indoor features, one (14.3%) had restrooms inside. None had showers and none had a beverage vending machine present inside. On the outside, 2 (33.3%) out of the 6 outdoor facilities had restrooms, none had showers, and none had a beverage vending machine. Table S.5.2 summarizes this information.

Table S.5.2. PA Facility Amenities (N=7 unless otherwise noted)

Access and barriers		
Parking		
Parking on-site available (not including street parking)	6	85.7%
Parking has lights	3	42.9%
Bicycle parking racks or cages available	3	43.9%
Sidewalk		
Sidewalks on street lead up to the entrance	2	33.3%
Sidewalks have lighting	1	14.3%
Amenities		
Restrooms present inside	1	14.3%
Showers present inside	0	0.0%

Beverage vending machines present inside (n=2)	0	0.0%
Restrooms present outside (n=6)	2	33.3%
Showers present outside (n=6)	0	0.0%
Beverage vending machines present outside (n=6)	0	0.0%
Restrooms present inside or outside (n=6)	3	50.0%
Showers present inside or outside (n=6)	0	0.0%
Beverage vending machines present inside or outside (n=2)	0	0.0%

Sports Features

Staff assessed each PA facility for a specific list of sports features indoors and outdoors to determine the number of each feature present, the condition of each feature, and, for outdoor features, whether lighting was present. Staff also rated the condition of each feature. (These features are detailed further in Appendix B)

Condition of the Feature

Staff rated the condition for each feature item and, for outside features, the presence of lighting. The condition of a feature could be recorded as “poor”, “okay/good”, or “not rated”. When there was more than one of a particular feature, each was evaluated for condition while the presence of lighting was assessed across all features. For example, if a PA facility had 3 basketball courts and 2 were in okay condition, 1 was in poor condition, and 1 of them had lighting, then the staff would record the number of basketball courts as 3, 2 of which were rated okay/good, 1 was rated as poor, and that this PA facility had lighting for this feature.

Feature condition was rated based on the feature’s surface and related equipment, if any was available for the feature. Ultimately the feature condition rating was related to

whether or not players could safely play or engage in physical activity on a feature without risking injury or falling. Staff took into consideration the type of activities that would take place on or within a particular feature as well as the material comprising the surface when considering its condition. When assessing the condition of equipment used for physical activity, staff took into consideration age, functionality, wear and tear, damage such as dents or sharp edges, missing pieces, and rust. For example, if a playing surface was composed of concrete, staff assessed whether smooth concrete covered the entire surface and looked for cracks or uneven slabs in the concrete surface. See Appendix B for a detailed protocol on how each sports feature was rated for condition.

Survey Results for Indoor Sports Features

Across the 7 PA facilities surveyed in Pohnpei, there were a total of 2 indoor sports features, of which all (100%) were rated as poor.

Multipurpose rooms and skateboarding facilities were the most common feature (1). The following table (Table S.5.3) summarizes the number of each sports feature and the conditions of the feature across all 7 PA facilities in Pohnpei.

Table S.5.3. Indoor Sports Features Across all 7 PA Facilities in Pohnpei

Feature	Total number of the feature	Condition of the Feature		
		OK/Good	Poor	Not rated
Field soccer	0	0	0	0
Court basketball	0	0	0	0
Court tennis	0	0	0	0
Court volleyball	0	0	0	0
Court racquetball	0	0	0	0
Court multiuse	0	0	0	0
Multipurpose room	1	0	1	0

Exercise machine area	0	0	0	0
Gymnastics facilities	0	0	0	0
Running/ Walking track	0	0	0	0
Pool >3 feet deep	0	0	0	0
Skateboarding	1	0	1	0
Rock Climbing	0	0	0	0

Survey Results for Outdoor Sports Features

Across the 7 PA facilities surveyed in Pohnpei, there were a total of 28 outdoor sports features, of which 2 were rated as ok/good, 25 were rated poor, and 1 was not rated. Among the rated features, 7.4% was rated ok/good.

The most common features were basketball courts (5), followed by multiuse courts (4) and volleyball courts (4). Playgrounds may be of particular interest to parents of young children. There were 2 playground features, of which 2 were rated as poor. The following table (Table S.5.4.) summarizes the number of each sports feature and the conditions of the feature across all 7 PA facilities in Pohnpei.

Table S.5.4. Outdoor Sports Features Across all 7 PA Facilities in Pohnpei

Feature	Total number of the feature	Condition of the Feature			Number of facilities w/ Lighting
		OK/Good	Poor	Not rated	
Field multiuse	4	1	3	0	1
Field football	0	0	0	0	0
Field baseball	3	0	3	0	1
Field soccer	1	0	1	0	0
Court basketball	5	0	4	1	3

Court tennis	1	0	1	0	1
Court volleyball	4	0	4	0	2
Court multiuse	4	0	4	0	2
Running/walking track	3	1	2	0	0
Pool <3 feet deep	0	0	0	0	0
Pool wading	0	0	0	0	0
Playground	2	0	2	0	0
Skateboarding	1	0	1	0	1
Exercise Stations	0	0	0	0	0
Rock Climbing	0	0	0	0	0

PA Facility Amenities

Method: Staff assessed each PA facility for a specific list of amenities to determine if the amenity was present and to rate the condition of the item. (These are detailed further in Appendix B).

When staff were unable to determine the condition of one or more features of a specific type (if more than one present), they rated the features of that type that were able to be rated. When any features of a specific type could not be rated due to construction/repairs or seasonal closure, staff selected not rated. See Appendix B for a detailed protocol on how each feature or amenity type was rated for condition.

Among the 7 PA facilities in Pohnpei, 6 had information on amenities. Among the 6 facilities there were a total of 5 amenities, of which 1 was rated as ok/good and 4 were not rated. The amenities present were trash containers (3), and benches (2). Table S.5.5 summarizes the total number and condition of each individual feature/amenity which was assessed.

Table S.5.5. Amenities Across all 7 PA Facilities in Pohnpei

Feature	Total Number of the feature	Condition of the Feature		
		OK/Good	Poor	Not rated
Drinking fountain indoor	0	0	0	0
Trash container	3	0	0	3
Benches	2	1	0	1

Incivilities

Method: Staff assessed each PA facility for a list of incivilities and how much each was present. The term incivility is used to describe items in the environment that might discourage physical activity. These items are often signs of area deprivation or markers of blight.

These incivilities are the same as those included in the assessment of parks. (These are detailed further in Appendix B). Staff looked for incivilities throughout the PA facility and assigned a score for each of 9 incivility types based upon the amount that was present across the PA facility ground. The possible ratings were: none (0), a little (1), some (2), and 3 (a lot). For the community, an average rating for each item was used. See Appendix B for a detailed protocol on how each incivility was rated for amount.

Among the 7 PA facilities in Pohnpei, the mean rating across all the incivility types was 1.4. There was some garbage and evidence of substance abuse. There was, on average, a little bit of broken glass, graffiti/tagging, evidence of alcohol use, sex paraphilia, dog refuse, dogs left unattended, and vandalism (Table S.5.6).

Table S.5.6. Average Amount of Each Incivility across 7 PA Facilities in Pohnpei

Incivility Type	Amount
Garbage	Some
Broken glass	A little
Graffiti/Tagging	A little
Evidence of Alcohol use	A little
Evidence of Substance Abuse	Some
Sex Paraphernalia	A little
Dog Refuse	A little
Dogs Unattended	A little
Vandalism	A little

The original form can be viewed at:

http://www.bridgingthegapresearch.org/_asset/2npg33/BTGCOMP_PA_2012.pdf

Section 6. Assessment of Fast Food Outlets

Method: The tool used by CHL to assess fast food outlets (FFO) is modified from the Bridging the Gap Program (BTG), University of Illinois at Chicago. The BTG-COMP Fast Food Observation Form was designed to assess a variety of attributes in the fast food outlet environment, including advertising and marketing, availability of nutritional information and healthy options, availability and pricing of specific food and beverage items, as well as other characteristics of the facility. (See APPENDIX for CHL form used.) The purpose of this data collection is to characterize the away-from-home food environment, with a focus on fast-food outlets and pizzerias, which are often popular destinations for youth.

Eligible Fast Food Outlets

Any national and regional fast food chains or franchises and independent fast food outlets that were located within Palau were eligible. Fast food outlets are most often characterized by the fact that customers order and pay at the counter prior to eating. Data collection was also conducted in pizzerias, which may have table service. Specialty snack/drink shops where 50% or more of the menu items are a snack or drink item (e.g. Dunkin' Donuts, Starbucks, Baskin Robbins, Auntie Anne's Pretzels, Tropical Smoothie Café), buffets, and "take & bake" pizza places (e.g. Papa Murphy's, Homemade Pizza Co.) were excluded.

For Pohnpei, 7 outlets were listed on the original inventory, 7 were visited and 6 had a complete assessment and were included in this analysis.

Outlet Type and Shared Space

Upon entering the outlet, staff assessed the outlet type according to the main cuisine or type of food/beverages on the menu board and whether it shared space with another business.

The outlet type was selected from a list, or other could be selected. All 6 fast food outlets in Pohnpei had information on the outlet type. Among them, 3 (50%) were a Fried Chicken/Fried Fish outlet, 1 (16.7%) was a Burger and Fries outlet, 1 (16.7%) was a Pizzeria/Italian outlet, and 1 (16.7%) was Other.

Each outlet was assessed for whether it had its own building/exterior or whether it shared spaced with a food court, grocery store, gas station, or other restaurant. All 6 fast food outlets in Pohnpei had information on shared space. Among them, none shared space with a food court or another restaurant. A total of 2 (40%) shared space with a gas station and 2 (40%) stores shared space with a grocery store. Table S.6.1 summarizes this information.

Table S.6.1. Outlet Type and Shared Space (N=6)

Outlet Setting	Number	Percent
Outlet Type		
Burger and Fries	1	16.7%
Mexican/Latin American	0	0%
Fried Chicken/Fried Fish	3	50.0%
Sandwich or Sub Shop	0	0%
Sandwich/Pastry	0	0%
Pizzeria/Italian	1	16.7%
Plate Lunch/Lunch Truck	0	0%
Chinese/Pan-Asian	0	0%
Other, SPECIFY: LOCAL DISH	1	16.7%
Shared Space		
Food Court	0	0%
Grocery Store (n=5)	2	40.0%
Gas Station (n=5)	2	40.0%
Other Restaurant	0	0%

Outlet Parking, Sidewalks, and Exterior Amenities

Staff assessed each outlet for certain amenities such as on-site parking, bicycle parking, parking overhead lighting, sidewalks, and sidewalk overhead lighting.

Among the 6 fast food outlets surveyed in Pohnpei, 5 (100%) had on-site parking, 2 (33.3%) had bicycle parking, and 4 (80%) had parking overhead lighting. Only 1 (20%) had a sidewalk leading up to the entrance and 1 (20%) had sidewalk lighting.

Observations on outlet amenities included whether it had outdoor seating, bars on the windows, an exterior play area, an indoor play area visible from the outside, and a drive-thru window. Among the 6 fast food outlets in Pohnpei, 1 (25%) had outdoor seating, 3 (50%) had bars on the windows, none had an exterior play area, none had an indoor play area that was visible from the outside, and none had a drive-thru window. This information is summarized in Table S.6.2.

Table S.6.2. Parking, Sidewalks, and Exterior Amenities (N=6 Unless Otherwise Noted)

Exterior Feature	Number	Percent
Parking		
Parking on-site available (not including street parking) (n=5)	5	100%
Parking has lights (n=5)	4	80%
Bicycle parking racks or cages available	2	33.3%
Sidewalk		
Sidewalks on street lead up to the entrance (n=5)	1	20%
Sidewalks have lighting (n=5)	1	20%
Outdoor seating (n=4)	1	25%
Bars on windows	3	50%
Exterior play area	0	0%
Indoor play area visible from outside	0	0%
Drive thru window	0	0%

Staff also assessed the number of external walls visible from the street and the level of graffiti and garbage that was present. Among the 6 fast food restaurants in Pohnpei, 4 outlets had information about the number of walls visible from the street. Among these, 2 (50%) had two visible walls and 2 (50%) had three visible walls. This question was intended to give a sense of the size/layout of the restaurant property and the number of sides on which advertisements can be placed.

Staff rated each fast food outlet as having none, a little, some, or a lot of graffiti and garbage. All 6 fast food outlets in Pohnpei had information on the level of graffiti and garbage that was present. Of which, 5 (83.3%) of the outlets had no graffiti present, while 1 (16.7%) had a little graffiti present. Furthermore, 2 (33.3%) had a little garbage, and 4 (66.7%) had none. This information is summarized in Table S.6.3.

Table S.6.3. Exterior (N=6 Unless Otherwise Noted)

Exterior Feature	Number	Percent
Walls visible from street (n=4)		
0	0	0%
1	0	0%
2	2	50%
3	2	50%
4	0	0%
Graffiti		
None	5	83.3%
A little	1	16.7%
Some	0	0%
A lot	0	0%
Garbage		
None	4	66.7%
A little	2	33.3%
Some	0	0%
A lot	0	0%

Exterior Marketing

Staff assessed food and beverage advertisements on the building exterior and property, child-targeted marketing on the exterior, and other ad themes.

ADs on the Building Exterior or Property

The number of advertisements at least 8½ x 11 inches in size that were posted on the building exterior and restaurant property was recorded. To be counted, ads must have been visible from the parking lot(s) and/or from the street(s) bordering the restaurant. Ads which could be considered a price promotion, food ad, beverage ad, or soda ad were separately tallied.

- **Exterior ADs:** included those that are on the walls, doors, windows or roof of the building and visible from the parking lot(s) or street(s) bordering the restaurant.
- **Property ADs:** include those that are not posted on the building, but are in some other place on the restaurant property such as on a fence, light post, pole, garbage can, parking barrier, play area, or other place. Again, these must be visible from the parking lot(s) or street(s) bordering the restaurant.
- **Price Promotion ADs** have a price specified or the presence of any of the following word(s): “price,” “sale,” “deal,” “save,” “discount,” or “value.” It also includes any ad promoting a multi- item discount like “Buy one, get one free,” “free with purchase,” “try one free” or related language. It may or may not also have included a food or beverage.
- **Food ADs** have an image of and/or a name/description for a food item(s). It may or may not also have included a beverage.
- **Beverage ADs** have an image of and/or a name/description for a beverage item(s). This could include, for example, soda, coffee drinks, tea, milkshakes, smoothies, juice, water and other beverages.
- **Soda ADs:** have an image of and/or a name/description for a soda. This can include bottled or canned soft drinks, as well as fountain drinks.

Among the 6 fast food outlets in Pohnpei, all were assessed for ads on the building exterior. Among the outlets, there were a total of 4 ads; 4 ads were for price promotion, 3 ads were for foods, and 2 ads were for beverages. The mean for the number of ads on the building exterior of fast food outlets in Pohnpei is 0.67. The mean number of ads for a price promotion is 0.67. Among the 6 fast food outlets in Pohnpei, all of the outlets had ads on the property. Table S.6.4 summarizes this information. The presence of specific types of ads at each outlet is presented in table S.6.5. The type of ad most commonly observed at FFOs in Pohnpei were price promotion and beverage ads which were each available in 2 (33.3%) on the building exterior.

Table S.6.4. Summary of Price Promotion, Food, Beverage, or Soda Ads on the Building Exterior or Property across Fast Food Outlets in Pohnpei

Location	# surveyed	Type of Ad				
		Total	Price Promo	Food Ad	Beverage Ad	Soda Ad
Exterior	6	4	4	3	3	0
Property	6	4	4	3	2	0

Other Ads on the Exterior

Staff also assessed the presence of ads on the outlet's exterior that included a dollar menu promotion, health claim, cartoon character(s), a celebrity, kids' meal toy, or other child-directed marketing. Any one ad can be coded as having one or more of the characteristics described above. For example, the same ad could feature both cartoon characters and the kids' meal toy.

All 6 fast food restaurants in Pohnpei had this information. None had a dollar menu ad, cartoon ad, celebrity ad, kids' meal toy ad, health ads or other child-directed marketing. Table S.6.5 summarizes this information.

Table S.6.5. Presence of Ads by Type (N=6)

Type of Ad	Number	Percent
External		
Price Promo	2	33.3%
Food Ad	1	16.7%
Beverage Ad	2	33.3%
Soda Ad	0	0%
Property		
Price Promo	2	33.3%
Food Ad	1	16.7%
Beverage Ad	1	16.7%
Soda Ad	0	0%
Dollar menu	0	0%
Health claim	0	0%
Cartoon character(s)	0	0%
TV/ movie star/sports star/youth celebrity	0	0%
Kids' meal toy	0	0%
Other child-targeted marketing	0	0%

Counter Service and Restaurant Interior

Staff assessed items describing the type of service offered within the establishment, characteristics of the checkout area, characteristics of the restaurant interior, and availability of self-service beverages and a salad bar.

None of the fast food outlets in Pohnpei was a drive-in only restaurant, and so they were all assessed for restaurant interior characteristics. All outlets had information about whether food was ordered at the counter, and among these, food was ordered at the counter in 2 (33.3%) of the outlets. One (16.7%) of the outlets had food pick up and 4 (66.7%) had payment at the counter. Staff counted the number of cash registers inside of the restaurant and found that 6 (100%) of the outlets did have a register. Two (33.3%) of the outlets had a glass or Plexiglas divider between customers.

Regarding other interior characteristics, 5 (83.3%) of the fast food outlets had indoor seating, 4 (66.7%) had bathrooms available to customers, and none had a toy display and this was recorded at being less than 3 and a half feet or less from the ground (at eye level of children). Regarding specific food and beverage items, one (16.7%) had sweets--such as cookies and candy--near the cash register, none had self-serve fountain drinks, 5 (83.3%) offered free water, and 1 (16.7%) had self-serve salads.

Table S.6.6 Counter Service and Restaurant Interior (N=6)

Restaurant Feature	Number	Percent
Drive-in only	0	0%
Counter Service		
Ordering food	2	33.3%
Picking up food	1	16.7%
Paying for food	4	66.7%
Interior Register Count		
0 register	0	0%
1 register	6	100%

Restaurant Feature	Number	Percent
Divider between customer and cash register	2	33.3%
Indoor Seats	5	83.3%
Restrooms	4	66.7%
Indoor displays for kids' meal toys		
Any ad or display	0	0%
Toy display 3½ feet or less from the ground	0	0%
Sweet snacks near counter	1	16.7%
Self-serve fountain drinks	0	0%
Free water	5	83.3%
Self-serve salad	1	16.7%

General Menu: Dollar Menu Items, Combo Meals, Salad, Fruits and Vegetables, and Signs for Health Options

Staff assessed the availability of a dollar menu and specific items on it, combo meals, salads and other fruit and vegetable sides. Signage for “healthy” items on the menu was also assessed.

Among the 6 fast food outlets in Pohnpei, 1 (16.7%) had a dollar menu, 2 (40%) had salad as an entrée, 1 (16.7%) had low-fat dressing. Five outlets had information on the availability of a combo meal and 4 (80%) out of 5 outlets had combo meal.

Staff tallied the number of side items on the menu that were vegetables, fresh fruit, or other fruit besides fresh fruit. Staff looked for the availability of any side salad(s) or other vegetable(s) listed on the menu as a “side” or “extra” and assessed whether it met

the criteria of being non-fried and not having added fat. Vegetables that were part of a main dish were also not counted. Staffed looked for the availability of any fresh fruit listed on the menu as a “side” or “extra.” Beverages such as juice or smoothies were not counted. Staff also looked for the availability canned, dried, or other processed (not fresh) fruit options listed on the menu as a “side” or “extra.”

All outlets in Pohnpei were assessed for vegetables and fruit. Across the menus of the 6 outlets, there were a total of 2 vegetables, 3 fresh fruit, and zero other fruit options. Across these 6 outlets, 4 (66.7%) had zero vegetable items, 2 (33.3%) had 1-2 vegetables items, 3 (50%) had zero fruit items, 2 (33.3%) had 1-2 fruit items, 1 (16.7%) had 5 or more fruit items, and all 6 (100%) had no other fruit items.

Staff looked for signage indicating food as low calorie, low fat, low sodium, or healthy. Among the 6 fast food outlets in Pohnpei, none had signage for low fat, low sodium food, low calorie or healthy food items. Two of the six fast food outlets had liquor on the menu. This information is summarized in Table S.6.7.

Table S.6.7 General Menu Items (N=6)

Menu Feature	Number	Percent
Dollar Menu	1	16.7%
Fruit on Dollar Menu	1	16.7%
Dessert on Dollar Menu	1	16.7%
Drink on Dollar Menu	1	16.7%
Fries on Dollar Menu	1	16.7%
Entrée on Dollar Menu	1	16.7%
Combo meal (n=5)	4	80%

Menu Feature	Number	Percent
Salad as an entrée	2	40%
Low-fat salad dressing	1	16.7%
Vegetable Items Count		
none	4	66.7%
1-2	2	33.3%
2-4	0	0%
5 or more	0	0%
Fruit Items Count		
none	3	50%
1-2	2	33.3%
2-4	0	0%
5 or more	1	16.7%
Signage on the menu		
Low calorie	0	0%
Low fat	0	0%
Low sodium	0	0%
Healthy (n=5)	0	0%
Liquor	2	33.3%

Beverage Item Assessment

Staff assessed the posted menu board for the availability and price of specific beverage items--such as soda, juice, milk, water, coffee, and shakes--commonly found in fast food establishments. All fast food outlets in Pohnpei had information on beverage items. The most commonly available drinks were flavored coffee drinks (n=6, 100%). This information is presented in Table S.6.8.

Table S.6.8 Beverage Items (N=6)

Beverage	Number	Percent
Fountain drink	0	0%
Packaged soda	5	83.3%
100% Juice (n=5)	1	20%
Milk, skim or 1% fat (unflavored) (n=5)	1	20%
Milk, whole/Vit D or 2% fat (unflavored)	3	60%
Bottled Water	5	83.3%
Flavored Coffee Drinks (hot or iced)	6	100%
Shakes or Malts	1	16.7%
Flavored Milk (e.g., chocolate, strawberry)	3	50%

Food Item Assessment

Staff assessed the posted menu board for the availability and price for specific food items commonly found in fast food establishments and pizzerias. Among the 6 fast food outlets in Pohnpei, the most commonly available food item from the list of specific foods

was fried chicken (n=5, 83.3%) followed by French fries and cheeseburger (n=4, 66.7%) of the outlets in Pohnpei. This information is presented in Table S.6.9.

Table S.6.9 Food Items (N=6)

Food	Number	Percent
French fries	4	66.7%
Cheeseburger	4	66.7%
Chicken Sandwich, with roasted or grilled chicken	2	33.3%
Entrée salad, with roasted or grilled chicken	2	33.3%
Fried chicken – legs, drumstick, and thigh	5	83.3%
Cheese pizza, thin crust	2	33.3%
Taco with ground beef	1	16.7%
Sub sandwich, with turkey and cheese (n=5)	0	0%

Children’s Menu Assessment

Staff assessed each outlet for items that were available and promoted to children (usually ages 12 and under), via the establishment’s kids’ meal or kids’ menu. Staff looked for healthy beverage and food options and asked for these items when they were not posted on the menu board. Staff also assessed the availability of toys. Among the 6 fast food outlets in Pohnpei, none had a kids’ menu or meal available. This information is summarized in Table S.6.10.

Table S.6.10 Children's Menu (N=6)

Menu feature	Number	Percent
Kids' menu or meal	0	0%
Unflavored skim/1% milk, 100% juice, or bottled water (listed or shown on board)	0	0%
Unflavored skim/1% milk, 100% juice, or bottled water (available when asked)	0	0%
Fruit, vegetable (only non-fried vegetables w/o added fat), salad or yogurt (listed or shown on board)	0	0%
Fruit, vegetable (only non-fried vegetables w/o added fat), salad or yogurt (available when asked)	0	0%
Free toy with kids' meal	0	0%
Toy for additional charge	0	0%

The original form can be viewed at:

http://www.bridgingthegapresearch.org/asset/2npg33/BTGCOMP_PA_2012.pdf

Section 7. Food Availability and Marketing Form

CHL's Food Availability Survey and Marketing Form are modified from the California Department of Health Communities of Excellence in Nutrition, Physical Activity, and Obesity Prevention program (CX3). The purpose of this survey is to assess the availability of healthy foods, price, nutrition information, and marketing of foods in stores. In addition to the food environment, we surveyed the safety and walkability around stores. A complete list of food stores, including their locations, was compiled for each community by local staff. Staff then assessed up to ten stores per community or all of them when there were less than ten stores in a community. The types of stores assessed include supermarket chain, large grocery store, small market, convenience store, and other community sources for food products.

Supermarket Chain: a large store that sells food and other items, including canned and frozen foods, fresh fruits and vegetables, and fresh (raw) and prepared meats, fish, and poultry. It is owned by a company that has many stores such as Safeway, K-mart, payless. (This type of store has twenty or more employees and at least 4 cash registers.)

Large Grocery Store (not part of a large chain): a large store that sells food and other items, including canned and frozen foods, fresh fruits and vegetables, and fresh (raw) and prepared meats, fish, and poultry. It may be part of a small regional chain of fewer than 5 stores or may be independent. (This type of store also has twenty or more employees and at least 4 cash registers.)

Small Market: usually an independent store that sells food including canned and frozen foods, fresh fruits and vegetables, and fresh (raw) and prepared meats, fish, and poultry as well as convenience items and alcohol. (This type of store has fewer than 20 employees and 3 or fewer cash registers.)

Convenience: a store that sells convenience items only, including bread, milk, soda, snacks and may sell alcohol and gasoline. These stores do not sell fresh (raw) meat. These stores also are known as food marts.

Other: a store that does not fit into supermarket chain, large grocery store, small market or convenience, but is seen by the community as a general source of food products. Examples would include farmers market, dollar stores or drug stores.

The following table is a breakdown of the store types surveyed in Pohnpei. Among the 15 stores assessed in Pohnpei, 14 stores responded with the most common store types were convenience stores (11).

Table S.7.1. Type of Store (N=14)

Type	Number	Percent
Supermarket chain	0	0%
Large grocery store	0	0%
Small market	1	7.1%
Convenience	11	78.6%
Other	2	14.3%

Variety, Quality, and Availability of Fruits and Vegetables and Other Health Foods

Staff looked at the overall variety, quality, and availability of specific fruits and vegetables in stores. Stores were assessed for whether they had a wide variety (7 or more types), moderate variety (4-6 types), limited variety (1-3 types) or none of fruits and vegetables, separately. Of the 14 out of 15 stores with this data in Pohnpei, 1 (7.1%) store had a moderate variety of fruits, and 1 (7.1%) store had a moderate variety of vegetables available.

Table S.7.3. Variety of Fruits and Vegetables (N=14)

Variety	Number	Percent
Fruits		
None	10	71.4%
Limited	3	21.4%
Moderate variety	1	7.1%
Wide variety	0	0%
Vegetables		
None	11	78.6%
Limited	2	14.3%
Moderate variety	1	7.1%
Wide variety	0	0%

Stores were also assessed on the quality of their fruits and vegetables. Staff looked for signs of quality in the produce such as the lack of wilting, decay, shriveling, brown stems, and color changes.

- **Wilting** - leaves or stems are limp
- **Decay** - mold or blackening
- **Shriveling** - skin has wrinkles
- **Brown stems/dry stem cuts**
- **Color changes** - yellowing when item should be dark green

The quality was rated as:

- **None** - None sold
- **Poor** - All or most of fruit is of poor quality (brown, bruised, overripe, wilted)

- **Mixed Poor** - Mixed quality; more poor than good
- **Mixed Good** - Mixed quality; more good than poor
- **Good** - All or most of fruit is of good quality (very fresh, no soft spots, excellent color)

Of the 2 stores in Pohnpei assessed for quality, 2 (14.3%) had good quality for fruits and 1 (7.1%) had mixed good quality for vegetables.

Table S.7.4. Quality of Fruit and Vegetables (N=14)

Quality	Number	Percent
Fruit		
None	10	71.4%
Poor	0	0%
Mixed Poor	0	0%
Mixed Good	2	14.3%
Good	2	14.3%
Vegetable		
None	11	78.6%
Poor	0	0%
Mixed Poor	2	14.3%
Mixed Good	1	7.1%
Good	0	0%

Stores were assessed for the availability and price of specific fruits (apple, banana, and orange) and vegetables (carrot, tomato, broccoli, and cabbage). A total of 14 stores in Pohnpei had data on the availability of these produce. The most commonly available

fruits were apples, bananas, and oranges in which each were in 3 (21.4%) of stores. Carrots and cabbage were each in 2 (15.4%) of the stores.

Table S.7.5. Availability of Selected Fruits and Vegetables (N=14)

Availability	Number	Percent
Selected fruit		
Apple	3	21.4%
Banana	3	21.4%
Orange	3	21.4%
Selected vegetable (n=13)		
Carrot	2	15.4%
Tomato	0	0%
Broccoli	0	0%
Cabbage	2	15.4%
Select Local Foods (n=13)		
Ong Choi	2	15.4%
Pandanus	2	15.4%
Taro	1	7.7%
Cassava	0	0%

Stores were assessed for the availability of other healthy foods. **Healthy foods** are fruits and vegetables, whole grains, beans, nuts and seeds, non-fat and low fat milk products, and lean meat, poultry, and fish. Healthy foods include minimal or no added fat, sugars, or sweeteners. Unsweetened black coffee is included. Pickled vegetables, whole coconut, and coconut water are included.

Stores were specifically assessed for a variety of items considered to be low/reduced fat dairy or soy drinks, lean meat protein, non-meat protein, whole-grain, canned/frozen fruit or vegetables, and baby food. Among the 15 stores assessed in Pohnpei, only 14 stores had information available. 12 (85.7%) lacked at least one low/reduced fat dairy or soy beverage, 11 (78.6%) had at least one lean meat protein, 2 (16.7%) had at least one non-meat protein, 4 (30.8%) had at least one whole-grain item, 6 (50%) had at least one canned/ frozen fruit or vegetable, and 3 (25%) had at least one baby food.

Table S.7.6. Availability of Other Healthy Foods in Stores (N=14)

Other Healthy Foods	Number	Percent
Low/reduced fat dairy or soy beverage	2	14.3%
1% milk (n=12)	1	8.3%
2% milk (n=12)	1	8.3%
Skim milk (n=13)	3	23.1%
Mozzarella (n=13)	2	15.4%
Flavored soy beverage (n=12)	1	8.3%
Plain soy beverage (n=12)	1	8.3%
Lean meat protein	11	78.6%
Ground beef or turkey, lean (85% or higher)	2	14.3%
Whole chicken	3	21.4%
Tuna (light) canned in water (n=12)	9	75.0%
Salmon canned in water (n=12)	7	58.3%
Sardines canned in water, tomato, or mustard (n=12)	8	66.7%
Non-meat protein (n=12)	2	16.7%
Tofu, plain	1	8.3%
Beans, dried	1	8.3%
Beans, canned with no added fats, sugar or	2	16.7%

Other Healthy Foods	Number	Percent
sweetener		
Whole grain (n=13)	4	30.8%
Whole grain bread	2	15.4%
Brown rice	0	0%
High fiber cereal (≥ 3 grams fiber, ≤ 12 grams sugar per serving)	3	23.1%
Oatmeal (plain)	3	23.1%
Tortillas, soft corn or whole wheat (no lard)	1	7.7%
Canned/frozen fruit or vegetables (n=12)	6	50%
Any canned fruit packed in 100% fruit juice	3	25%
Any canned vegetable with no added fats, sugar, or sweetener	5	41.7%
Any frozen fruit with no added fats, sugar, or sweetener	1	8.3%
Any frozen vegetable with no added fats, sugar, or sweetener	1	8.3%
Baby food (n=12)	3	25%
Baby food, jarred, single fruit	3	25%
Baby food, jarred, single vegetable	3	25%
Baby food, jarred, single meat	3	25%

Store Interior Advertisements or Promotions

Stores were assessed for specific ads or promotion themes in the interior of the store. First, staff looked to see if there were health promotion items around the fruit and vegetables display. Of the 15 stores with this data, 2 (13.3%) had a health promotion

item. Staff then categorized each health promotion item into one of the following themes:

- 5 A Day signs
- Nutrition information
- Fruit and Veggies: More matters
- Children’s Healthy Living (CHL) or CHL partnership
- Other

In Pohnpei, there was 1 health promotion item under the theme of 5 A Day. Stores were also assessed for ads promoting locally grown produce. Of the 15 stores with this data, 4 (26.7%) promoted locally grown produce.

Table S.7.7. Advertisements Inside the Store (N=2)

Interior Advertisements	Number	Percent
Health promotion around the fruit and vegetable display	0	0%
5 A Day signs	1	50%
Nutrition information	0	0%
Fruit and Veggies: More matters	0	0%
Children’s Healthy Living (CHL) or CHL partnership	0	0%
Other (not specified)	1	50%
Promotion of locally grown produce	4	26.7%

Staff looked at the marketing (presence of ads and product placement) of specific healthy and unhealthy foods near the main check-out area. The presence of ads or promotions recorded included those next to or below the check out, on the floor, or hanging from the ceiling. The presence of products recorded included those next to or below the check out and near the exit doorway.

The healthy products surveyed include the following:

- Granola bars (whole grain, ≥ 2 g fiber, ≤ 1 g saturated fat, ≤ 14 g sugar per serving)
- Bagged Nuts/seeds (does not include honey roasted or w/ added sugar) (next to or below counter/check-out)
- Fresh fruit (next to or below counter/check-out)
- Bottled water (next to or below counter/check-out)
- Other: specify (such as dried fruit, trail mix, 100% juice, etc.)

The unhealthy products surveyed include the following:

- Gumball or candy machine (next to counter or exit doorway)
- Candy (next to or below counter/check-out)
- Soda (next to or below counter/check-out)
- Chips (next to or below counter/check-out)
- Other: specify (such as cookies, ice cream, beef jerky, energy drinks, etc.)

Among the 15 stores surveyed, 13 stores had information on the marketing near the main check-out area. Looking at ads for healthy food products, 4 stores had 1-2 items. Looking at ads unhealthy food products, 6 stores had ads for 1-2 items, and 5 stores had ads for 3 or more items. More stores had a least one ad for unhealthy food products compared to ad for healthy food products near the main check-out area (11 versus 4).

Looking at the presence of healthy food products near the main check-out area, 5 stores had 1-2 items. Looking at the presence of unhealthy food products near the main check-out area, 2 stores had 1-2 items. More stores had at least one healthy food product compared to unhealthy food product near the main check-out area (5 versus 2).

Table S.7.8. Store Check-out area Marketing (N=14)

Marketing next to the main check-out area	Healthy Food Products (n)	Unhealthy Food Products (n)
Presence of ads or promotions		
0	9	3
1-2 items	4	6
3 or more	0	5
Presence of products		
0	8	12
1-2 items	5	2
3-5 items	0	0

Store Exterior Advertisements on Healthy and Unhealthy Foods

Stores were assessed for ads promoting healthy or unhealthy foods on the exterior of the store. **Unhealthy products** are high calorie, low nutrient foods and beverages that include alcoholic beverages, soft drinks and other sweetened beverages including diet drinks, sweet desserts and highly sugared cereals, chips and other salty snacks, most solid fats, fried foods, and other foods with high amounts of sugar, fat and/or sodium. **Healthy products** include minimal or no added fat, sugars, or sweeteners. Examples include fresh or dried fruits and vegetables, whole grain snacks (≥ 2 g fiber per serving), energy bars (≤ 14 g sugar per serving), nuts and seeds, non-fat and low fat milk products, water, or 100% fruit juice.

Among the 6 stores that had data on the presence of exterior ads for healthy foods, none had ads on healthy foods. Among the 14 stores that had data on the presence of exterior ads for unhealthy foods, 6 (42.9%) had ads for unhealthy foods.

Store Exterior Conditions

Stores were assessed for specific exterior conditions for food promotion. Among the 14 stores surveyed, one (7.1%) had produce bins on the sidewalk in front of the store. Seven (50%) stores had other products (e.g., soda, water) displayed on the sidewalk in front of the store or inside the store next to the window so they are clearly visible from the outside. One (7.1%) store had a vending machine displayed on the sidewalk. One (8.3%) store had ads on the roof, walls, or anywhere on the store property of the stores surveyed. Two (14.3%) stores had images of unhealthy foods and/or beverages painted on doors or windows of the storefront, and 1 (7.1%) store had images of healthy foods and/or beverages. None of the stores had painted murals of healthy food and/or beverages on the building walls of the store.

Table S.7.9. Store Exterior Conditions (N=14)

Exterior Conditions	Number	Percent
Produce bins on the sidewalk in front of the store	1	7.1%
Products displayed on the sidewalk in front for the store or inside the store next to the window	7	50%
Vending machines on the sidewalk in front of the store	1	7.1%
Advertising (banners, posters, temporary signs, etc.) on the roof, walls or elsewhere on the property (n=12)	1	8.3%
Images of healthy food (e.g. tomato, apple) and/or beverages (e.g. milk) painted on doors or windows of the storefront	1	7.1%
Images of unhealthy food (e.g. hamburger, hot dog) and/or beverages (e.g. soda, shake) painted on doors or windows of the storefront	2	14.3%
Painted murals of healthy foods and/or beverages anywhere on the building walls	0	0%

Perceptions of Safety at Store

Stores were assessed for perceptions of safety including whether there were bars or chains on the exterior, whether advertisements covered no more than 1/3 of the window area and the cash register could be seen from the outside for stores that sold alcoholic beverages (e.g. the Lee Law which was passed in California), whether people felt safe walking in and around the store, and if the store was located in a safe, walkable environment. Among the 14 out of 15 stores with this information, 12 (85.7%) stores had bars. 8 out of the 11 stores with information complied with Lee Law. None of the stores were rated that people feel safe during the walk around or outside of the store. None of the stores met standards for being located in a safe, walkable environment.

Table S.7.10. Perceived Safety of Store (N=15)

Safety	Number	Percent
Store has bars or chains on windows or doors (n=14)	12	85.7%
Store sells alcohol and no more than 1/3 of window area is covered with ads (Lee Law) (n=11)	8	72.7%
People feel safe during the walk around or outside of the store (n=14)	0	0%
Store meets standards for being located in a safe, walkable environment	0	0%

Overall Summary of Store Assessments

Among the 15 stores surveyed in Pohnpei there were strengths and areas needing improvement in order for stores to support community health.

Variety, Quality, and Availability of Fruits and Vegetables and Other Healthy Foods

- Of the 14 stores in Pohnpei, none had a wide variety of fruit and none had a wide variety of vegetables.

- For the stores that had fruits and vegetables, the stores can improve the availability of common fruits and vegetables.
- Among the 14 stores assessed and had data for Other Healthy Foods, the stores can improve availability on low/reduced fat dairy or soy beverages, non-meat protein, whole-grain, canned/ frozen fruit or vegetable, and baby food products.

Ads, promotions, and marketing

- Among the 15 stores in Pohnpei, 2 of the stores had health promotion items around the fruit and vegetables display and 4 of the stores had promotion of locally grown produce.
- Stores in Pohnpei are more likely to have ads for unhealthy food products than healthy food products near the main check out area (11 stores versus 4 stores). However, more stores had at least one healthy food product compared to unhealthy food product near the main check-out area (5 versus 2).
- On the store exterior 6 stores had ads for unhealthy foods, while none had ads for healthy foods.
- Looking at the store exterior conditions, there was 1 store with produce bins on the sidewalk in front of the stores. One store had images of healthy food and/or beverages painted on doors or windows of the storefront. Two stores had images of unhealthy foods and/or beverages. None had painted murals of healthy foods and/or beverages anywhere on the building walls.

Perceptions on Safety around the Store

- Of the 14 stores in Pohnpei, 12 (85.7%) had bars or chains on the windows, none were rated as people feeling safe around or outside of the store, and none were in a location deemed to be a safe, walkable environment.
- Of the 11 stores in Pohnpei with information on Lee Law, 8 (72.7%) stores met the standards of California's Lee Law to limit the amount of space taken by advertisements for alcohol on the store exterior.

Section 8. Walkability Survey

Everyone benefits from walking. These benefits include: improved fitness, cleaner air, reduced risks of certain health problems, and a greater sense of community, but walking needs to be safe and easy.

CHL staff conducted two separate walkability survey in Pohnpei. The survey included a checklist of items to be observed and rated, which are related to the safety and quality of the walk. The individual scores for these items were then added for a total score to get an overall rating for the community walkability.

Rating Scale for Each Walking Feature	Total Walkability Score	Community Walkability
1=awful	26-30	Celebrate! You have a great neighbourhood for walking.
2=many problems	21-25	Celebrate a little. Your neighbourhood is pretty good.
3=some problems	16-20	Okay, but it needs work.
4=good	11-15	It needs lots of work.
5=very good	5-10	It's a disaster for walking!
6=excellent		

The total rating scores for Pohnpei, as well as the individual scores for the 5 items, are summarized in the table below. For the total score, the number of neighborhoods audited (n) is 10. This is followed by the mean total score (11.3), standard deviation (8.3), median (0.0), minimum (2.0), and maximum (25.0). According to the mean total score, the neighborhoods surveyed in Pohnpei **needs a lot of work to encourage community walkability.**

Table S.8.1. Community Walking Features

Walking Features	n	mean	SD	med	min	max
<i>Total Walking rating</i>	10	11.3	8.3	--	2.0	25.0
Room to walk	9	2.7	1.5	--	1.0	5.0
Ease of crossing street (s)	9	2.7	1.5	--	1.0	5.0
Ease of following safety rules	8	2.9	1.8	--	1.0	5.0
Drivers' behavior	8	3.3	1.8	--	1.0	6.0
Pleasantness of walk	7	3.3	1.5	--	1.0	5.0

*Walkability survey and rating scale is adapted from The National Center for Safe Routes to School (www.saferoutesinfo.org/sites/default/files/walkabilitychecklist.pdf)

Food Cost Survey (FCS)

The CHL Food Cost Survey (FCS), adapted from the Alaska Food Cost Survey, was conducted in all of the CHL jurisdictions in March 2014. Given the link between childhood obesity and food security, particularly in low-income households, CHL conducted this survey of communities in the CHL jurisdictions. Three stores in Pohnpei were assessed to determine the cost and availability of market foods in Pohnpei.

The FCS is based on a meal plan, in particular, the USDA Thrifty Food Plan (TFP). The Thrifty Food plan, based on a national survey of dietary habits, is designed to meet the nutritional needs at low cost for a family of four with school age children (USDA, 1999). It assumes that the food items are bought at a store and are prepared at home. This menu is made of foods in 10 categories. The categories include fruits, vegetables, meats, legumes, dairy, egg, fats / oils, grain, sweets / beverages, and spices. Included in the report is the percent of each category towards the Thrifty Food Plan cost. The TFP is also used as the basis for determining food assistance levels provided in programs such as school lunch.

If a particular item was missing in a local area/ jurisdiction, we used the cost of a similar item as a substitute for the item that was on the national menu. However, in some cases, items were unavailable and no obvious substitutes were available.

Portland, Oregon serves as a general indicator of and reference point for the price series in a somewhat comparable mainland/lower 48 city and its food costs have been collected using the same survey as that was used by CHL. The weekly food cost for a family of four with two adults and two young school- age children in Portland was \$142.37.

It is important to note that the Thrifty food Plan menu was developed based on diets and food availability in the contiguous U.S. Further work is necessary to document local diets and food availability and to examine how they may be incorporated into an adjusted thrifty food menu for use in Pohnpei, and its effect on community food costs.

Food Cost Survey, Costs of Food at Home (\$) based on the Thrifty Food Plan and USDA adjustments.

In Pohnpei, the following food(s) had no price information: semi-sweet chocolate chips. The weekly food cost for the Thrifty Food Plan menu for a family of four in Pohnpei was \$261.91. In the CHL region, the average cost was \$215.18, with a minimum of \$173.97 and a maximum of \$286.30. The cost in Portland, USA was \$142.37. Pohnpei’s costs for the same or comparable food items of the Thrifty Food Plan are 184.0% of their cost in Portland, Ore.

Table 1. Weekly and Monthly Food Cost to Eat According to the U.S. Thrifty Food Plan in Pohnpei

Age, Groups	Weekly	Monthly
INDIVIDUALS		
Child, 6-8 years	\$54.88	\$237.85
Child, 9-11 years	\$65.13	\$282.25
Male, 20-50 years	\$74.15	\$321.34

Female, 20-50 years	\$67.73	\$293.51
FAMILY		
Family of 2, 20-50 years	\$156.11	\$676.46
Family of 4, Couple, 20-50 years and children, 6-8 and 9-11 years	\$261.91	\$1,134.94

* Ratio used to calculate cost of family of other size and individuals are based on Center for Nutrition and Policy and Promotion (CNPP)'s Official USDA Alaska and Hawaii Thrifty Food Plans at <http://www.cnpp.usda.gov>

Thrifty Food Plan, Weekly Food Costs: By Food Category

Cost and percent of each food category was presented in the following table (Table 2), in the order from most expensive to least expensive.

Table 2. Weekly Thrifty Food Plan Costs for a Family of 4 by Food Category in Pohnpei

Food Group	Cost	Percent
Vegetable	\$54.96	21.0%
Meat	\$52.93	20.2%
Grain	\$39.26	15.0%
Fruit	\$38.73	14.8%
Dairy	\$38.72	14.8%
Sweets and Beverages	\$14.79	5.6%
Spice	\$7.06	2.7%
Egg	\$5.90	2.3%
Fats and Oils	\$5.40	2.1%
Legume	\$4.16	1.6%

Thrifty Food Plan, Weekly Food Costs: Top 10 Most Expensive Foods

The top 10 most expensive foods in Pohnpei were presented in Table 3.

Table 3. Top 10 Most Costly Food Items in Pohnpei

Food	Food Group	Price	Percent
Milk, 1% milk fat	Dairy	\$24.69	9.4%
Beef, ground, lean (16 to 23% fat)	Meat	\$20.86	8.0%
Potatoes, any variety	Vegetable	\$20.72	7.9%
Green beans, any variety, frozen	Vegetable	\$13.22	5.0%
Bagels, plain, enriched	Grain	\$12.53	4.8%
Milk, whole	Dairy	\$9.08	3.5%
Oranges, any variety (bagged or loose)	Fruit	\$8.20	3.1%
Grapes (green or red)	Fruit	\$7.92	3.0%
Oranges, mandarin (juice or light syrup)	Fruit	\$6.89	2.6%
Green peas, any variety, frozen	Vegetable	\$6.67	2.5%
Total		\$130.78	49.8%

Summary

The CHL food cost survey found the cost of food for a family of four, using the TFP, to be \$261.91 per week which is 84.0% higher than the weekly food cost for a family of four in Portland, Oregon. In comparison to the average CHL region (\$215.18), the weekly food cost in Pohnpei was 21.7% higher.

Summary of Prevalence Study



Children's Healthy Living Program

VII. Conclusion / Summary of Prevalence Study

The purpose of this report is to inform the community of the CHL research that was conducted in Pohnpei during 2013. It is a “snapshot” of the community during this time period. It is hoped that this comprehensive report will help the community in designing programs, allocating resources, and advocating for policies that increase the health and well-being of young children in Pohnpei.

By increasing the amount of fruit and vegetables sold at stores; increasing walkability in Pohnpei; increasing healthy menu items; and addressing food cost, could all serve to better the health and well-being of young children in the community.

The CHL team would like to express our gratitude and appreciation to all the children, parents, caregivers, teachers, community members and partners who assisted in the collection of this information. Without the support and participation of the community this report would not exist.

References / sources of instruments

1. Braun K, Nigg C, Fialkowski MK, Butel J, Hollyer J, Barber LR, Teo-Martin U, Flemming T, Vargo A, Coleman P, Bersamin A, Novotny R. Using the ANGELO Framework to Develop the Children's Healthy Living Program Multilevel Intervention to Promote Obesity Preventing Behaviors for Young Children in the US Affiliated Pacific Region. *Child Obes.* 2014; 10(6): 474 – 281.
2. Buckworth, J., & Nigg, C. (2004). Physical activity, exercise, and sedentary behavior in college students. *Journal of American College Health*, 53, 28-34.
3. Burke, J. P., Hale, D. E., Hazuda, H. P., & Stern, M. P. (1999). A quantitative scale of acanthosis nigricans. *Diabetes care*, 22(10), 1655-1659.
4. Center for Alaska Native Health Research. Demographic and Medical Screening Questionnaire.
5. Centers for Disease Control and Prevention. (2000). About *BMI for Children and Teens*. Retrieved from:
http://www.cdc.gov/healthyweight/assessing/bmi/childrens_BMI/about_childrens_BMI.html.
6. Centers for Disease Control and Prevention. (2011). 2011 Middle School Youth Risk Behavior Survey. Retrieved from
cdc.gov/healthyyouth/yrbs/pdf/questionnaire/2011_ms_questionnaire.pdf
7. Centers for Disease Control and Prevention. (2011). Behavioral Risk Factor Surveillance System (BRFSS) 2011 survey questions. Retrieved from
cdc.gov/brfss/questionnaires/pdf-ques/2011brfss.pdf
8. Centers for Disease Control and Prevention. (2011). FOOD SECURITY FSQ 2011-2012 TARGET GROUP: HOUSEHOLD survey. Retrieved from
http://www.cdc.gov/nchs/data/nhanes/nhanes_11_12/fsq_family.pdf
9. Centers for Disease Control and Prevention. (2000). CDC race and ethnicity code set version 1.0. Retrieved from cdc.gov/nchs/data/dvs/Race_Ethnicity_CodeSet.pdf
10. Centers for Disease Control and Prevention. Division of Nutrition, Physical Activity, and Obesity. How much physical activity do children need?

<http://www.cdc.gov/physicalactivity/basics/children/>. Updated June 4, 2015.

Accessed August 7, 2015.

11. Chaloupka, F. J., & Johnston, L. D. (2007). Bridging the Gap: research informing practice and policy for healthy youth behavior. *American journal of preventive medicine*, 33(4), S147-S161.
12. Cohen, B. E. (2002). *Community food security assessment toolkit* (pp. 02-013). Washington, DC: US Department of Agriculture, Economic Research Service.
13. Cooperative Extension Service: Alaska food cost survey. Fairbanks, AK: University of Alaska Fairbanks; 2012.
14. Federal Trade Commission. (2012). Demographic information form. Retrieved from ftc.gov/ftc/oed/hrmo/demographicform.pdf
15. Fernández, J. R., Redden, D. T., Pietrobelli, A., & Allison, D. B. (2004). Waist circumference percentiles in nationally representative samples of African-American, European-American, and Mexican-American children and adolescents. *The Journal of pediatrics*, 145(4), 439-444.
16. Fialkowski, M. K., McCrory, M. A., Roberts, S. M., Tracy, J. K., Grattan, L. M., & Boushey, C. J. (2010). Evaluation of dietary assessment tools used to assess the diet of adults participating in the Communities Advancing the Studies of Tribal Nations Across the Lifespan cohort. *Journal of the American Dietetic Association*, 110(1), 65-73.
17. Fialkowski, M., Dunn, M., Delormier, T., Hattori-Uchima, M., Leslie, J. H., Deenik, J. L., & Greenberg, J. (2014). Indigenous Workforce Training by the Children's Healthy Living Program (CHL) to Prevent Childhood Obesity in the Pacific. *Journal of Nutrition Education and Behavior*, 4(46), S122-S123.
18. Ghirardelli, A., Quinn, V., & Foerster, S. B. (2010). Using geographic information systems and local food store data in California's low-income neighborhoods to inform community initiatives and resources. *American journal of public health*, 100(11), 2156-2162.
19. Ghirardelli, A., Quinn, V., & Sugerman, S. (2011). Reliability of a retail food store survey and development of an accompanying retail scoring system to communicate

- survey findings and identify vendors for healthful food and marketing initiatives. *Journal of nutrition education and behavior*, 43(4), S104-S112.
20. Haas, S., & Nigg, C. R. (2009). Construct validation of the stages of change with strenuous, moderate, and mild physical activity and sedentary behaviour among children. *Journal of Science and Medicine in Sport*, 12, 586-591.
 21. Kaholokula, J.K., Grandinetti, A., Nacapoy, A.H., & Chang, H.K. (2008). Association between acculturation modes and type 2 diabetes among Native Hawaiians. *Diabetes Care*, 31(4), 698-700.
 22. Lee, R. E., Booth, K. M., Reese-Smith, J. Y., Regan, G., & Howard, H. H. (2005). The Physical Activity Resource Assessment (PARA) instrument: evaluating features, amenities and incivilities of physical activity resources in urban neighborhoods. *International Journal of Behavioral Nutrition and Physical Activity*, 2(1), 13. McGreavey, J.A., Donnan, P.T., Pagliari, H.C., & Sullivan, F.M. (2005). The Tayside children's sleep questionnaire: a simple tool to evaluate sleep problems in young children. *Child: Care, Health, and Development*, 31 (5), 539–544. doi: 10.1111/j.1365-2214.2005.00548.x
 23. National Health Plan Collaborative. (2008). The National Health Plan Collaborative Toolkit: Chapter 3: What categories of race/ethnicity to use. Retrieved from <http://www.rwjf.org/qualityequality/product.jsp?id=33969>
 24. Nigg CR, Hellsten L, Norman G, Braun L, Breger R, Burbank P, et al. Physical activity staging distribution: establishing a heuristic using multiple studies. *Annals of Behavioral Medicine*. 2005;29(Suppl):35–45.
 25. Novotny, R., Nigg, C., McGlone, K., Renda, G., Jung, N., Matsunaga, M., & Karanja, N. (2013). Pacific tracker 2—expert system (PacTrac2-ES) behavioural assessment and intervention tool for the pacific kids DASH for health (PacDASH) study. *Food chemistry*, 140(3), 471-477.
 26. Pedestrian and Bicycle Information Center (PBIC). Walkability checklist. Retrieved from http://www.pedbikeinfo.org/cms/downloads/walkability_checklist.pdf
 27. United States Department of Agriculture, Center for Nutrition Policy and Promotion (1999). *The Thrifty Food Plan, 1999, Administrative Report*, Washington D.C: October, 1999.

28. United States Census Bureau. (January 2009). *The 2010 Census Questionnaire: Informational Copy*. Retrieved from http://2010.census.gov/2010census/pdf/2010_Questionnaire_Info_Copy.pdf
29. United States Bureau. *Census 2000 Gateway*. Retrieved from census.gov/main/www/cen2000.html
30. Zimmet, P., Alberti, K. G. M., Kaufman, F., Tajima, N., Silink, M., Arslanian, S., ... & Caprio, S. (2007). The metabolic syndrome in children and adolescents—an IDF consensus report. *Pediatric diabetes*, 8(5), 299-306.